

## Quality ID #396: Lung Cancer Reporting (Resection Specimens)

### **2023 COLLECTION TYPE:** **MEDICARE PART B CLAIMS**

### **MEASURE TYPE:** Process – High Priority

**DESCRIPTION:**  
Pathology reports based on lung resection specimens with a diagnosis of primary lung carcinoma that include the pT category, pN category and for non-small cell lung cancer (NSCLC), histologic type.

**INSTRUCTIONS:**  
This measure is to be submitted **each time** a patient's lung pathology report addresses specimens with a diagnosis of non-small cell lung cancer; however, only one quality data code (QDC) per date of service for a patient is required. This measure may be submitted by Merit-based Incentive Payment System (MIPS) eligible clinicians who perform the quality actions described in the measure based on the services provided and the measure-specific denominator coding.

**Measure Submission Type:**  
Measure data may be submitted by individual MIPS eligible clinicians using Medicare Part B claims. The listed denominator criteria are used to identify the intended patient population. The numerator quality data codes included in this specification are used to submit the quality actions allowed by the measure on the claim form(s). All measure-specific coding should be submitted on the claim(s) representing the denominator eligible encounter and selected numerator option.

**DENOMINATOR:**  
Pathology reports for lung resection specimens for primary lung carcinoma

**Denominator Criteria (Eligible Cases):**

Patients ≥18 years of age on date of service

**AND**

**Diagnosis for lung cancer (ICD-10-CM):** C34.00, C34.01, C34.02, C34.10, C34.11, C34.12, C34.2, C34.30, C34.31, C34.32, C34.80, C34.81, C34.82, C34.90, C34.91, C34.92

**AND**

**Patient procedure during performance period (CPT):** 88309

**WITHOUT**

**Telehealth Modifier (including but not limited to):** GQ, GT, 95, POS 02

**NUMERATOR:**  
Pathology reports based on lung resection specimens with a diagnosis of primary lung carcinoma that include the pT category, pN category and for non-small cell lung cancer, histologic type (e.g. squamous cell carcinoma, adenocarcinoma and NOT NSCLC-NOS (non-small cell lung cancer, not otherwise specified))

**Numerator Quality Data Coding Options:**

**If Patient is not Eligible for this Measure because the Specimen is not of Lung Origin, or is Classified as NSCLC-NOS Report**

**Denominator Exclusion: G9424:**

Specimen site other than anatomic location of lung, OR classified as NSCLC-NOS

**OR**

**Primary Lung Carcinoma that Include the pT category, pN category and for Non-Small Cell Lung Cancer, Histologic Type (Squamous Cell Carcinoma, Adenocarcinoma and NOT NSCLC-NOS)**

**Performance Met: G9422:** Primary lung carcinoma resection report documents pT category, pN category and for Non-small Cell Lung Cancer, Histologic Type (e.g. Squamous Cell Carcinoma, Adenocarcinoma and NOT NSCLC-NOS)

**OR**

**Primary Lung Carcinoma that Include the pT category, pN category and for Non-Small Cell Lung Cancer, Histologic Type (Squamous Cell Carcinoma, Adenocarcinoma) not Documented for Medical Reasons**

**Denominator Exception: G9423:** Documentation of medical reason for not including pT category, pN category and histologic type [For patient with appropriate exclusion criteria (e.g. metastatic disease, benign tumors, malignant tumors other than carcinomas, inadequate surgical specimens)]

**OR**

**Primary Lung Carcinoma that Include the pT category, pN category and for Non-Small Cell Lung Cancer, Histologic Type (Squamous Cell Carcinoma, Adenocarcinoma) not Documented, Reason not Given**

**Performance Not Met: G9425:** Primary lung carcinoma resection report does not document pT category, pN category and for Non-small Cell Lung Cancer, Histologic Type (e.g. Squamous Cell Carcinoma, Adenocarcinoma)

**RATIONALE:**

The TNM staging revisions (AJCC 7th edition) became effective for all new cases diagnosed after January 1, 2010. The new staging system is applicable to both NSCLC and, for the first time, small cell lung cancer (SCLC). There are significant changes in staging, particularly in T3 for NSCLC. These updates were maintained in the AJCC 8<sup>th</sup> edition (2018) Recent evidence suggests that significant variability still exists among clinicians with respect to staging practices (Turner, SR 2018)

**CLINICAL RECOMMENDATION STATEMENTS:**

The TNM staging system of the American Joint Committee on Cancer (AJCC) and the International Union Against Cancer (UICC) is recommended for non-small cell lung cancer. Small cell lung cancer has been more commonly classified according to a separate staging system as either “limited” or “extensive” disease, but based on analysis of the International Association for the Study of Lung Cancer (IASLC) database, TNM staging is also recommended for small cell lung cancer.

The purpose of pathologic evaluation is to precisely classify the histologic type of lung cancer and to determine all staging parameters as recommended by the AJCC including tumor size, the extent of invasion (pleural and bronchial), adequacy of surgical margins, and presence or absence of lymph node metastasis.

Pathologic evaluation is performed to classify the histologic type of the lung cancer, determine the extent of invasion, determine whether it is primary lung cancer or metastatic cancer, establish the cancer involvement status of the surgical margins (i.e., positive or negative margins), and do molecular diagnostic studies to determine whether certain gene mutations are present.

A new lung cancer TNM staging system was developed by the International Association of the Study of Lung Cancer (IASLC) and adopted by the American Joint Commission for Cancer (AJCC) (7th edition, 2010). This new staging system is applicable to both NSCLC and SCLC based on studies by the IASLC which demonstrated the prognostic significance of the various stage designations in both diseases... application of the TNM system will not change how

patients are treated; however, clinical research studies should begin to utilize the TNM system, because it will allow for more precise assessments of prognosis and specific therapy in the future. Therefore, the SCLC algorithm was revised in 2011 to include the TNM staging information.

[CAP June 2021 Protocol for the Examination of Specimens From Patients With Primary Non-Small Cell Carcinoma, Small Cell Carcinoma, or Carcinoid Tumor of the Lung](#)

[The NCCN. Non-Small Cell Lung Cancer: Clinical Practice Guidelines in Oncology.](#) Updated December 7 2021. Accessed December 9 2021. To view the most recent and complete version of the guideline, go online to [National Comprehensive Cancer Network](#).

[The NCCN. Small Cell Lung Cancer: Clinical Practice Guidelines in Oncology.](#) Updated November 24 2021. Accessed December 9 2021. To view the most recent and complete version of the guideline, go online to [National Comprehensive Cancer Network](#).

**COPYRIGHT:**

**THE MEASURES ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.**


© 2022 College of American Pathologists. All Rights Reserved

Limited proprietary coding is contained in the Measure specifications for convenience. Users of the proprietary code sets should obtain all necessary licenses from the owners of these code sets. The College of American Pathologists disclaims all liability for use or accuracy of any Current Procedural Terminology (CPT®) or other coding contained in the specifications.

CPT® contained in the Measures specifications is copyright 2004-2022 American Medical Association. ICD-10 is copyright 2022 World Health Organization. All Rights Reserved.

## 2023 Medicare Part B Claims Flow for Quality ID #396: Lung Cancer Reporting (Resection Specimens)

*Disclaimer: Refer to the measure specification for specific coding and instructions to submit this measure.*



### SAMPLE CALCULATIONS

**Data Completeness=**  

$$\frac{\text{Denominator Exclusion (x=0)} + \text{Performance Met (a=40)} + \text{Denominator Exception (b=10)} + \text{Performance Not Met (c=20)}}{\text{Eligible Population / Denominator (d=80)}} = \frac{70 \text{ procedures}}{80 \text{ procedures}} = 87.50\%$$

**Performance Rate=**  

$$\frac{\text{Performance Met (a=40)}}{\text{Data Completeness Numerator (70) - Denominator Exclusion (x=0) - Denominator Exception (b=10)}} = \frac{40 \text{ procedures}}{60 \text{ procedures}} = 66.67\%$$

\*See the posted measure specification for specific coding and instructions to submit this measure.

NOTE: Submission Frequency: Procedure

NOTE: Telehealth modifiers include **but are not limited to:** GQ, GT, 95, POS 02

CPT only copyright 2022 American Medical Association. All rights reserved.  
 The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification.

v7

**2023 Medicare Part B Claims Flow Narrative for Quality ID #396:  
Lung Cancer Reporting (Resection Specimens)**

**Disclaimer:** Refer to the measure specification for specific coding and instructions to submit this measure.

1. Start with Denominator
2. Check *Patients greater than or equal to 18 years of age on date of service*:
  - a. If *Patients greater than or equal to 18 years of age on date of service* equals No, do not include in *Eligible Population/Denominator*. Stop processing.
  - b. If *Patients greater than or equal to 18 years of age on date of service* equals Yes, proceed to check *Diagnosis for lung cancer as listed in Denominator\**.
3. Check *Diagnosis for lung cancer as listed in Denominator\**:
  - a. If *Diagnosis for lung cancer as listed in Denominator\** equals No, do not include in *Eligible Population/Denominator*. Stop processing.
  - b. If *Diagnosis for lung cancer as listed in Denominator\** equals Yes, proceed to check *Patient procedure during performance period*.
4. Check *Patient procedure during performance period*:
  - a. If *Patient procedure during performance period* equals No, do not include in *Eligible Population/Denominator*. Stop processing.
  - b. If *Patient procedure during performance period* equals Yes, proceed to check *Telehealth Modifier*.
5. Check *Telehealth Modifier*:
  - a. If *Telehealth Modifier* equals Yes, do not include in *Eligible Population/Denominator*. Stop processing.
  - b. If *Telehealth Modifier* equals No, include in *Eligible Population/Denominator*.
6. Denominator Population:
  - Denominator Population is all Eligible Procedures in the Denominator. Denominator is represented as Denominator in the Sample Calculation listed at the end of this document. Letter d equals 80 procedures in the Sample Calculation.
7. Start Numerator
8. Check *Specimen site other than anatomic location of lung, OR classified as NSCLC-NOS*:
  - a. If *Specimen site other than anatomic location of lung, OR classified as NSCLC-NOS* equals Yes, include in the *Data Completeness Met and Denominator Exclusion*.
    - *Data Completeness Met and Denominator Exclusion* letter is represented in the Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter x equals 0 procedures in the Sample Calculation.
  - b. If *Specimen site other than anatomic location of lung, OR classified as NSCLC-NOS* equals No, proceed to check *Primary lung carcinoma resection report documents pT category, pN category and for Non-small Cell Lung Cancer, Histologic Type*.

9. Check *Primary lung carcinoma resection report documents pT category, pN category and for Non-small Cell Lung Cancer, Histologic Type*:
  - a. If *Primary lung carcinoma resection report documents pT category, pN category and for Non-small Cell Lung Cancer, Histologic Type* equals Yes, include in *Data Completeness Met and Performance Met*.
    - *Data Completeness Met and Performance Met* letter is represented in the Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter a equals 40 procedures in Sample Calculation.
  - b. If *Primary lung carcinoma resection report documents pT category, pN category and for Non-small Cell Lung Cancer, Histologic Type* equals No, proceed to check *Documentation of medical reason for not including pT category, pN category and histologic type [for patient with appropriate exclusion criteria]*.
10. Check *Documentation of medical reason for not including pT category, pN category and histologic type [for patient with appropriate exclusion criteria]*:
  - a. If *Documentation of medical reason for not including pT category, pN category and histologic type [for patient with appropriate exclusion criteria]* equals Yes, include in the *Data Completeness Met and Denominator Exception*.
    - *Data Completeness Met and Denominator Exception* letter is represented in the Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter b equals 10 procedures in the Sample Calculation.
  - b. If *Documentation of medical reason for not including pT category, pN category and histologic type [for patient with appropriate exclusion criteria]* equals No, proceed to check *Primary lung carcinoma resection report does not document pT category, pN category and for Non-small Cell Lung Cancer, Histologic Type*.
11. Check *Primary lung carcinoma resection report does not document pT category, pN category and for Non-small Cell Lung Cancer, Histologic Type*:
  - a. If *Primary lung carcinoma resection report does not document pT category, pN category and for Non-small Cell Lung Cancer, Histologic Type* equals Yes, include in *Data Completeness Met and Performance Not Met*.
    - *Data Completeness Met and Performance Not Met* letter is represented in the Data Completeness in the Sample Calculation listed at the end of this document. Letter c equals 20 procedures in the Sample Calculation.
  - b. If *Primary lung carcinoma resection report does not document pT category, pN category and for Non-small Cell Lung Cancer, Histologic Type* equals No, proceed to check *Data Completeness Not Met*.
12. Check *Data Completeness Not Met*:
  - a. If *Data Completeness Not Met*, the Quality Data Code or equivalent was not submitted. 10 procedures have been subtracted from the Data Completeness Numerator in the Sample Calculation.

### **Sample Calculations**

Data Completeness equals Denominator Exclusion (x equals 0 procedures) plus Performance Met (a equals 40 procedures) plus Denominator Exception (b equals 10 procedures) plus Performance Not Met (c equals 20 procedures) divided by Eligible Population/Denominator (d equals 80 procedures). All equals 70 procedures divided by 80 procedures. All equals 87.50 percent.

Performance Rate equals Performance Met (a equals 40 procedures) divided by Data Completeness Numerator (70

procedures) minus Denominator Exclusion (x equals 0 procedures) minus Denominator Exception (b equals 10 procedures). All equals 40 procedures divided by 60 procedures. All equals 66.67 percent.

\*See the posted measure specification for specific coding and instructions to submit this measure.

NOTE: Submission Frequency: Procedure

NOTE: Telehealth modifiers include **but are not limited to**: GQ, GT, 95, POS 02

The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification.