

2020 CMS Web Interface Sampling Methodology for the Merit-Based Incentive Payment System, Shared Savings Program, and Next Generation ACO Model

December 2020

Disclaimer: This document is not intended to grant rights or impose obligations. It may contain references or links to statutes, regulations, or other policy materials. It is not intended to take the place of either the written law or regulations. Readers are encouraged to review the specific statutes, regulations, and other interpretive materials for a full and accurate statement of their contents.





[This page is intentionally blank.]



Table of Contents

Section 1.....	5
Introduction	5
Section 2.....	6
CMS Web Interface Quality Measures	6
Section 3.....	7
CMS Web Interface Quality Measure Reporting and Sample Size Requirements	7
Section 4.....	8
CMS Web Interface Quality Measure Sampling Methodology	8
4.1 Step 1: Identify Patients Eligible for Quality Measurement.....	8
4.2 Step 2: Identify Patients Eligible for Sampling into Each Measure	9
4.3 Step 3: Randomly Sample Patients into Each Measure.....	122
Appendix: Primary Care Service Codes Used for Determining Quality Eligibility	144



[This page is intentionally blank.]



SECTION 1

INTRODUCTION

This document outlines the sampling methodology for the 10 clinical quality measures reported via the Centers for Medicare & Medicaid Services (CMS) Web Interface. The sampling methodology applies to Accountable Care Organizations (ACOs) participating in the Shared Savings Program or the Next Generation ACO Model, and groups and virtual groups participating in the Merit-based Incentive Payment System (MIPS) that elected and registered to report as a group or a virtual group utilizing the CMS Web Interface. In this document, ACOs, groups, and virtual groups are collectively referred to as organizations. Each organization will be required to report on the same 10 nationally recognized measures.

Please note that the Shared Savings Program and the Next Generation ACO Model have additional quality reporting requirements beyond the measures included in the CMS Web Interface.

Section 2

CMS Web Interface Quality Measures

For the 2020 performance year, organizations will use the CMS Web Interface to collect and submit clinical data on the following 10 individual measures. These measures span across five measure categories: Care Coordination and Patient Safety (CARE), Preventive Health (PREV), Mental Health (MH), Diabetes (DM), and Hypertension (HTN). Each measure is listed in the table below.

Table 1. CMS Web Interface Measures

Measure #	ACO #	NQF #	Measure Title
CARE-2	ACO-13	0101	Falls: Screening for Future Falls
DM-2	ACO-27	0059	Diabetes: Hemoglobin A1c (HbA1c) Poor Control (>9%)
HTN-2	ACO-28	0018	Controlling High Blood Pressure
MH-1	ACO-40	0710	Depression Remission at Twelve Months
PREV-5	ACO-20	2372	Breast Cancer Screening
PREV-6	ACO-19	0034	Colorectal Cancer Screening
PREV-7	ACO-14	0041	Preventive Care and Screening: Influenza Immunization
PREV-10	ACO-17	0028	Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention
PREV-12	ACO-18	0418	Preventive Care and Screening: Screening for Depression and Follow-Up Plan
PREV-13	ACO-42	N/A	Statin Therapy for the Prevention and Treatment of Cardiovascular Disease

Note: N/A = Not Applicable.

For further information regarding any of the CMS Web Interface measures, please refer to the [2020 CMS Web Interface Measure Specifications and Supporting Documents](#). The supporting documents contain the following for each measure in Excel format: patient confirmation; data guidance; and downloadable resource tables, which include coding for each measure.



SECTION 3

CMS WEB INTERFACE QUALITY MEASURE REPORTING AND SAMPLE SIZE REQUIREMENTS

Each organization will report on each of the 10 clinical quality measures via the CMS Web Interface. The CMS Web Interface will be pre-populated with patients that have been assigned to each organization and will include demographic information for those patients. Using data from CMS claims and CMS Medicare enrollment and demographics, patients will be selected for each measure sample who meet the denominator criteria and patient eligibility. Patients are sampled into at least one measure, but may be sampled into more than one measure, and will be assigned a number (referred to as the patient's "rank," which indicates the order in which the patient was sampled into that measure).

All organizations, regardless of size, are required to completely and accurately report on a minimum of 248 consecutively ranked and confirmed Medicare patients for each measure. However, if the pool of eligible sampled patients is less than 248, then an organization is required to report on all sampled patients. Each organization will be required to complete data fields in the CMS Web Interface that capture quality data for each patient with respect to services rendered during the 2020 performance year (January 1, 2020 through December 31, 2020), unless otherwise specified by the measure. For example, the PREV-7: Preventive Care and Screening: Influenza Immunization measure requires the collection of certain quality data that spans the influenza season, which includes a few months from 2019.

If possible, an "oversample" will be provided for each measure. This means that each sample will include more patients than are needed to meet the reporting requirement of 248. For the 2020 performance year, 9 of the 10 measures may have an oversample of 616 patients. The PREV-13: Statin Therapy for the Prevention and Treatment of Cardiovascular Disease measure may have an oversample of 750 patients. Please note that the reporting requirement for consecutively ranked and confirmed Medicare patients remains at 248 for PREV-13 despite the larger sample size. If the sampling target of 616 or 750 patients cannot be met for any measure, it will have a smaller sample size that includes all patients who meet measure eligibility. There are denominator exclusion and exception criteria for certain measures that could prevent an organization from meeting the sampling target for a measure.

SECTION 4

CMS WEB INTERFACE QUALITY MEASURE SAMPLING METHODOLOGY

Organizations will use the CMS Web Interface to submit data on samples of the organization's fee-for-service (FFS) Medicare patients. Each organization's samples will be determined using the following process.

4.1 Step 1: Identify Patients Eligible for Quality Measurement

CMS will assign a Medicare patient to an ACO, group, or virtual group based on current program rules. For ACOs, CMS will use patients assigned using the ACO assignment/alignment methodology.^{1,2,3} For groups and virtual groups, CMS will assign patients using the MIPS assignment methodology.^{4,5}

Using Medicare administrative data (i.e., claims data) from January 1, 2020, through October 30, 2020, CMS will exclude the following patients from quality measurement eligibility:

- Patients with fewer than two primary care services⁶ within the organization, during the performance year.^{7,8}
- Patients with part-year eligibility in Medicare FFS Part A and Part B.
- Patients in hospice.
- Patients who died.
- Patients who did not reside in the United States.

The remaining assigned patients will be considered eligible for quality measurement.

¹ The Shared Savings Program uses patients assigned in the third quarter of 2020. For information regarding Shared Savings Program patient assignment methodology, please review the [Shared Savings Program Financial and Beneficiary Assignment Specifications](#).

² For ACOs participating in the Next Generation ACO Model, the most recent available exclusions (generally, the second quarter) are applied to aligned patients. For further information, please review the [Next Generation ACO Model Calculation of the Performance Year Benchmark: Performance Years 2019 and 2020](#).

³ Additional codes were finalized in the [May 8, 2020 COVID-19 Interim Final Rule with Comment Period](#) (IFC) (85 FR 27583) for purposes of patient assignment under the Shared Savings Program.

⁴ For information regarding the MIPS assignment methodology, please review the [2020 MIPS Assignment Methodology Specifications for the CMS Web Interface and CAHPS for MIPS Survey](#).

⁵ Additional codes were finalized in the [September 2, 2020 COVID-19 IFC](#) (85 FR 54847) for purposes of patient assignment under MIPS.

⁶ Primary care services is defined by the inclusion of certain Healthcare Common Procedure Coding System (HCPCS) codes and Current Procedural Terminology (CPT®) codes. See the Appendix for HCPCS and CPT codes that are included in the definition of primary care services under the Shared Savings Program, Next Generation ACO Model, and MIPS.

⁷ For the Shared Savings Program and Next Generation ACO Model, all claims billed by a Federally Qualified Health Clinic (FQHC) or Rural Health Clinic (RHC) are considered primary care claims and will be included.

⁸ In order to exclude services that were provided in a nursing home, all services billed with designated CPT codes (see Appendix) will be excluded from quality measurement eligibility. For the Next Generation ACO Model and MIPS, Part B claims billed with one of these designated CPT codes and a place of service (POS) code 31 will be excluded. For the Shared Savings Program, these claims are excluded if they have a corresponding Skilled Nursing Facility (SNF) stay.

4.2 Step 2: Identify Patients Eligible for Sampling into Each Measure

For patients who are identified as eligible for quality measurement, we determine if they are eligible for any of the specific quality measures based on the denominator criteria as outlined in the [2020 CMS Web Interface Measure Specifications and Supporting Documents](#). Due to limitations in the Medicare claims data, certain denominator exclusion and exception criteria must be applied by organizations using medical record data via the CMS Web Interface.

The sampling criteria for each measure is outlined in the below table. Please note that the sampling criteria outlined in Table 2 should not be used as a substitute for the measure specifications. It is recommended that your organization review the measure specifications and supporting documents for each measure.

Table 2. CMS Web Interface Sampling Methodology

Measure	Sampling Criteria ⁹
CARE-2: Falls: Screening for Future Falls	1. Ages 65 years and older. 2. Have at least one encounter during the measurement period.
DM-2: Diabetes: Hemoglobin A1c (HbA1c) Poor Control (>9%)	1. Ages 18 to 75 years. 2. Have at least one eligible encounter with a documented diagnosis of diabetes in an office or outpatient setting. 3. Does not meet the following exclusion criteria: • Patients age 66 and older residing in long-term care or with a POS code 32, 33, 34, 54 or 56 on an eligible claim during the measurement period. • Patients age 66 and older with at least one claim/encounter for frailty during the measurement period AND either one acute inpatient encounter with a diagnosis of advanced illness or two outpatient, observation, ED or nonacute inpatient encounters on different dates of service with an advanced illness diagnosis during the measurement period or the year prior to the measurement period.

⁹ For all measures that include an age range in the sampling criteria, a patient must be in the age range on both the first and last day of the measurement period. For lower age limits, patients are sampled based on their age on the first day of the measurement period (or in the case of the MH-1 measure, the denominator identification period). For the 2020 measurement period, this is the patient's age as of January 1, 2020 (or in the case of the MH-1 measure, November 1, 2018). For upper age limits, where applicable, patients are sampled based on their age as of last day of the measurement period (i.e., the patient's age as of December 31, 2020).

Measure	Sampling Criteria ⁹
HTN-2: Controlling High Blood Pressure	1. Ages 18 to 85 years. 2. Have at least one eligible encounter with a diagnosis of essential hypertension one year prior to the measurement year or during the first 6 months of the measurement year. 3. Does not meet any of the following exclusion criteria: • Evidence of End-Stage Renal Disease (ESRD), dialysis, or renal transplant before or during the measurement period, or patients ages 65 and older with a POS code 32, 33, 34, 54 or 56 on an eligible claim at any time during the measurement period. • Patients age 66 and older residing in long-term care or with a POS code 32, 33, 34, 54 or 56 on an eligible claim during the measurement period. • Patients age 66 and older with at least one claim/encounter for frailty during the measurement period AND either one acute inpatient encounter with a diagnosis of advanced illness or two outpatient, observation, ED or nonacute inpatient encounters on different dates of service with an advanced illness diagnosis during the measurement period or the year prior to the measurement period.
MH-1: Depression Remission at Twelve Months	1. Ages 12 years and older. 2. Have an eligible encounter during the denominator identification period (November 1, 2018 to October 31, 2019). 3. Have a diagnosis of major depression or dysthymia. 4. Does not meet any of the following exclusion criteria during the denominator identification period: have a diagnosis of bipolar or select personality disorders, schizophrenia or psychotic disorder.

Measure	Sampling Criteria ⁹
PREV- 5: Breast Cancer Screening	1. Women ages 51 to 74 years. 2. Have at least one encounter during the measurement period. 3. Does not meet the following exclusion criteria: • Bilateral mastectomy or evidence of right and left unilateral mastectomy. • Patients age 66 and older residing in long-term care or with a POS code 32, 33, 34, 54 or 56 on an eligible claim during the measurement period. • Patients age 66 and older with at least one claim/encounter for frailty during the measurement period AND either one acute inpatient encounter with a diagnosis of advanced illness or two outpatient, observation, emergency department (ED) or nonacute inpatient encounters on different dates of service with an advanced illness diagnosis during the measurement period or the year prior to the measurement period.
PREV-6: Colorectal Cancer Screening	1. Ages 50 to 75 years. 2. Have at least one eligible encounter during the measurement period. 3. Does not meet the following exclusion criteria: • Patients with a diagnosis or past history of total colectomy or colorectal cancer. • Patients age 66 and older residing in long-term care or with a place of service (POS) code 32, 33, 34, 54 or 56 on an eligible claim during the measurement period. • Patients age 66 and older with at least one claim/encounter for frailty during the measurement period AND either one acute inpatient encounter with a diagnosis of advanced illness or two outpatient, observation, ED or nonacute inpatient encounters on different dates of service with an advanced illness diagnosis during the measurement period or the year prior to the measurement period.
PREV-7: Preventive Care and Screening: Influenza Immunization	1. Ages 6 months and older. 2. Have at least one eligible encounter in the ACO, group, or virtual group during the measurement period and at least one encounter between October 1, 2019 and March 31, 2020 (the flu season).

Measure	Sampling Criteria ⁹
PREV-10: Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention	1. Ages 18 years and older. 2. Have at least two eligible encounters during the measurement period.
PREV-12: Preventive Care and Screening: Screening for Depression and Follow-Up Plan	1. Ages 12 years and older. 2. Does not meet exclusion criteria. 2. Have at least one eligible encounter during the measurement period.
PREV-13: Statin Therapy for the Prevention and Treatment of Cardiovascular Disease	1. Ages 21 years and older. 2. Have at least one eligible encounter during the measurement period. 3. For risk category 1, a diagnosis of Atherosclerotic Cardiovascular Disease (ASCVD). 4. For risk category 2, a previous diagnosis or currently an active diagnosis of familial or pure hypercholesterolemia. 5. For risk category 3, type 1 or type 2 diabetes. 6. Does not meet the following exclusion criteria: diagnosis of rhabdomyolysis.

4.3 Step 3: Randomly Sample Patients into Each Measure

A random sample of 900 patients is selected for quality measurement (as defined in Section 4.1) and populated into the samples for measures for which they are eligible until a sample size of 616 (or 750 for PREV-13) is reached for each measure.

If a measure has fewer than 616 beneficiaries (or 750 for PREV-13) after this step, CMS will select additional eligible patients until the measure has the required 616 (or 750 for PREV-13) or until there are no additional eligible patients available. When the patient is eligible for multiple measures, they will be included in multiple measures. Although this sampling methodology does not guarantee that patients will have the same numeric rank across measures, it does increase the likelihood that a patient will have a similar rank across measures. Therefore, a patient with a low rank in one measure will likely have a low rank in other measures that he or she is eligible. The intent of this approach is to reduce reporting burden for the ACOs, groups, and virtual groups.

For all measures, patients will be assigned a rank number between 1 and 616 (or 750 for PREV-13) based on the order they are populated into each measure sample. Identifying patients for the PREV-13 measure requires additional steps as a result of the three distinct risk



categories used to determine denominator eligibility. To begin the sampling for PREV-13, each risk category is considered separately, and patients are assigned a rank between 1 and 250 for that risk category (in the same manner as the other measures). After each risk category has reached 250, the three categories will be combined into a single sample of 750. This process allows each risk category to have equal representation, to the extent possible, in the sample.

For some measures and for some exclusions, CMS has applied exclusion criteria during the sampling process. However, exclusions are not always applied during sampling, because sometimes, it is not possible to do with claims data. If an organization is unable to report data on a patient at the time of abstraction, the organization must indicate a reason the data cannot be reported. The organization must not skip a patient without providing a valid reason, which is defined as an exclusion in the CMS Web Interface measure specifications. The acceptable reasons will be available for selection within the CMS Web Interface.

APPENDIX: PRIMARY CARE SERVICE CODES USED FOR DETERMINING QUALITY ELIGIBILITY

Code	Description	Programs (Shared Savings Program (SSP), Next Generation ACO Model (NGACO), and MIPS) Using Codes
Office or Other Outpatient Services		
99201	New patient, brief	SSP, NGACO, MIPS
99202	New patient, limited	SSP, NGACO, MIPS
99203	New patient, moderate	SSP, NGACO, MIPS
99204	New patient, comprehensive	SSP, NGACO, MIPS
99205	New patient, extensive	SSP, NGACO, MIPS
99211	Established patient, brief	SSP, NGACO, MIPS
99212	Established patient, limited	SSP, NGACO, MIPS
99213	Established patient, moderate	SSP, NGACO, MIPS
99214	Established patient, comprehensive	SSP, NGACO, MIPS
99215	Established patient, extensive	SSP, NGACO, MIPS
Initial Nursing Facility Care		
99304	New or established patient, brief (use except when provided in a SNF) [†]	SSP, NGACO, MIPS
99305	New or established patient, moderate (use except when provided in a SNF) [†]	SSP, NGACO, MIPS
99306	New or established patient, comprehensive (use except when provided in a SNF) [†]	SSP, NGACO, MIPS
Subsequent Nursing Facility Care		
99307	New or established patient, brief (use except when provided in a SNF) [†]	SSP, NGACO, MIPS
99308	New or established patient, limited (use except when provided in a SNF) [†]	SSP, NGACO, MIPS
99309	New or established patient, comprehensive (use except when provided in a SNF) [†]	SSP, NGACO, MIPS

Code	Description	Programs (Shared Savings Program (SSP), Next Generation ACO Model (NGACO), and MIPS) Using Codes
99310	New or established patient, extensive (use except when provided in a SNF) [†]	SSP, NGACO, MIPS
Nursing Facility Discharge Services		
99315	New or established patient, brief (use except when provided in a SNF) [†]	SSP, NGACO, MIPS
99316	New or established patient, comprehensive (use except when provided in a SNF) [†]	SSP, NGACO, MIPS
Other Nursing Facility Services		
99318	New or established patient (use except when provided in a SNF) [†]	SSP, NGACO, MIPS
Domiciliary, Rest Home, or Custodial Care Services		
99324	New patient, brief	SSP, NGACO, MIPS
99325	New patient, limited	SSP, NGACO, MIPS
99326	New patient, moderate	SSP, NGACO, MIPS
99327	New patient, comprehensive	SSP, NGACO, MIPS
99328	New patient, extensive	SSP, NGACO, MIPS
99334	Established patient, brief	SSP, NGACO, MIPS
99335	Established patient, moderate	SSP, NGACO, MIPS
99336	Established patient, comprehensive	SSP, NGACO, MIPS
99337	Established patient, extensive	SSP, NGACO, MIPS
Domiciliary, Rest Home, or Home Care Plan Oversight Services		
99339	Brief	SSP, NGACO, MIPS
99340	Comprehensive	SSP, NGACO, MIPS
Home Services		
99341	New patient, brief	SSP, NGACO, MIPS
99342	New patient, limited	SSP, NGACO, MIPS
99343	New patient, moderate	SSP, NGACO, MIPS

Code	Description	Programs (Shared Savings Program (SSP), Next Generation ACO Model (NGACO), and MIPS) Using Codes
99344	New patient, comprehensive	SSP, NGACO, MIPS
99345	New patient, extensive	SSP, NGACO, MIPS
99347	Established patient, brief	SSP, NGACO, MIPS
99348	Established patient, moderate	SSP, NGACO, MIPS
99349	Established patient, comprehensive	SSP, NGACO, MIPS
99350	Established patient, extensive	SSP, NGACO, MIPS
99354	Prolonged Services with Direct Patient Contact	SSP, NGACO
99355	Prolonged Services with Direct Patient Contact	SSP, NGACO
96160	Administration of Health Risk Assessment (Telehealth)	SSP
96161	Administration of Health Risk Assessment (Telehealth)	SSP
99484	General Behavioral Health Integration Care Management	SSP
99487	Chronic Care Management Service	SSP, MIPS
99489	Chronic Care Management Service	SSP, MIPS
99490	Chronic Care Management Service, 20 minutes	SSP, NGACO, MIPS
99492	Behavioral Health Integration	SSP
99493	Behavioral Health Integration	SSP
99494	Behavioral Health Integration	SSP
99495	Transitional Care Management Services within 14 days of discharge	SSP, NGACO, MIPS
99496	Transitional Care Management Services within 7 days of discharge	SSP, NGACO, MIPS
99497	Advance Care Planning	SSP, NGACO
99498	Advance Care Planning	SSP, NGACO
Wellness Visits		
G0402	Welcome to Medicare visit	SSP, NGACO, MIPS

Code	Description	Programs (Shared Savings Program (SSP), Next Generation ACO Model (NGACO), and MIPS) Using Codes
G0438	Annual wellness visit	SSP, NGACO, MIPS
G0439	Annual wellness visit	SSP, NGACO, MIPS
G0442	Annual Alcohol Misuse Screening	SSP, NGACO
G0443	Annual Alcohol Misuse Counseling	SSP
G0444	Annual Depression Screening*	SSP, NGACO
New G Codes for Outpatient Hospital Claims		
G0463	Hospital Outpatient Clinic Visit	SSP
G0506	Chronic Care Management	SSP, NGACO
HCPCS and CPT^{®10} Codes Added Due to the May 8, 2020 COVID-19 IFC and September 2, 2020 COVID-19 IFC		
Virtual Communication		
G2010	Remote Evaluation of Patient Video/Images*	SSP, NGACO, MIPS
G2012	Virtual Check-In*	SSP, NGACO, MIPS
Non-Face-to-Face On-Line Digital Evaluation and Management Services		
99421	Online Digital Evaluation and Management Service (e-visit), 5-10 minutes*	SSP, NGACO, MIPS
99422	Online Digital Evaluation and Management Service (e-visit), 11-20 minutes*	SSP, NGACO, MIPS
99423	Online Digital Evaluation and Management Service (e-visit), 21+ minutes*	SSP, NGACO, MIPS
Primary Care Codes and Services		
99441	Telephone Evaluation and Management Services, 5-10 minutes of Medical Discussion*	SSP, NGACO, MIPS
99442	Telephone Evaluation and Management Services, 11-20 minutes of Medical Discussion*	SSP, NGACO, MIPS
99443	Telephone Evaluation and Management Services, 21-30 minutes of Medical Discussion*	SSP, NGACO, MIPS

¹⁰ Copyright 2011 American Medical Association. All rights reserved.



[†] For MIPS and the Next Generation ACO Model, Part B claims will not be used if these codes are in the claim with POS code 31.

* Indicates new or modified HCPCS and CPT codes included in the definition of primary care services starting with the 2020 performance year.