

Quality Payment PROGRAM

2018 MIPS Data Validation - Year 2 Improvement Activities Performance Category Criteria

ID	Subcategory Name	Activity Name	Activity Description	Activity Weighting	Validation	Suggested Documentation (inclusive of dates during the selected continuous 90-day or year long reporting period)	PI Bonus	First PY	Examples of Additional Activities that Qualify for Attestation Completing these alternate activities can fulfill the requirements of this Improvement Activity
A_EPA_1	Expanded Practice Access	Provide 24/7 Access to MIPS Eligible Clinicians or Groups Who Have Real-Time Access to Patients' Medical Record	Provide 24/7 access to MIPS eligible clinicians, groups, or care teams for advice about urgent and emergent care (For example, eligible clinician and care team access to medical record, cross-coverage with access to medical record, or protocol-driven nurse line with access to medical record) that could include one or more of the following: • Expanded hours in evenings and weekends with access to the patient medical record (For example, coordinate with small practices to provide alternate hour office visits and urgent care); • Use of alternatives to increase access to care team by MIPS eligible clinicians and groups, such as telehealth, phone visits, group visits, home visits and alternate locations (For example, senior centers and assisted living centers); and/or • Provision of same-day or next-day access to a consistent MIPS eligible clinician, group or care team when needed for urgent care or transition management.	High	Demonstration of patient care provided outside of normal business hours through 24/7 or expanded practice hours with access to medical records or ability to increase access through alternative access methods or same-day or next-day visits	1) Patient Record from EHR - A patient record from an EHR with date and timestamp indicating services provided outside of normal business hours for that clinician (a certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus); or 2) Patient Encounter/Medical Record/Claim - Patient encounter/medical record claims indicating patient was seen or services provided outside of normal business hours for that clinician including use of alternative visits; or Same or Next Day Patient Encounter/Medical Record/Claim - Patient encounter/medical record claims indicating patient was seen same-day or next-day to a consistent clinician for urgent or transitional care	Yes	2017	
A_EPA_2	Expanded Practice Access	Use of telehealth services that expand practice access	Use of telehealth services and analysis of data for quality improvement, such as participation in remote specialty care consults or teleaudiology pilots that assess ability to still deliver quality care to patients.	Medium	Documented use of telehealth services and participation in data analysis assessing provision of quality care with those services NOTE: For the purposes of this IA, telehealth services include a "real time" interaction and may be obtained over the phone, online, etc. and are not limited to the Medicare reimbursed telehealth service criteria.	1) Use of Telehealth Services - Documented use of telehealth services through: a) claims adjudication (may use G codes to validate); b) EHR or c) other medical record document showing specific telehealth services, consults, or referrals performed for a patient; and 2) Analysis of Assessing Ability to Deliver Quality of Care - Participation in or performance of quality improvement analysis showing delivery of quality care to patients through the telehealth medium (e.g. Excel spreadsheet, Word document or others) NOTE: For the purposes of this IA, telehealth services include a "real time" interaction and may be obtained over the phone, online, etc. and are not limited to the Medicare reimbursed telehealth service criteria.		2017	
A_EPA_3	Expanded Practice Access	Collection and use of patient experience and satisfaction data on access	Collection of patient experience and satisfaction data on access to care and development of an improvement plan, such as outlining steps for improving communications with patients to help understanding of urgent access needs.	Medium	Development and use of access to care improvement plan based on collected and stratified patient experience and satisfaction data	1) Access to Care Patient Experience and Satisfaction Data - Patient experience and satisfaction data on access to care; and improvement plan - Access to care improvement plan		2017	Please note: CMS examples of stratification may include, patient demographics such as race/ethnicity, disability status (if available), sexual orientation (if available), sex, gender identity (if available), and geography
A_EPA_4	Expanded Practice Access	Additional improvements in access as a result of QIN/QIO TA	As a result of Quality Innovation Network-Quality Improvement Organization technical assistance, performance of additional activities that improve access to services (e.g., investment of on-site diabetes educator).	Medium	Implementation of additional processes, practices, resources or technology to improve access to services, as a result of receiving QIN/QIO technical assistance	1) Relationship with QIN/QIO Technical Assistance - Confirmation of technical assistance and documentation of relationship with QIN/QIO; and improvement Activities - Documentation of activities that improve access including support on additional services offered		2017	
A_EPA_5	Expanded Practice Access	Participation in User Testing of the Quality Payment Program Website (https://qpp.cms.gov/)	User participation in the Quality Payment Program website testing is an activity for eligible clinicians who have worked with CMS to provide substantive, timely, and responsive input to improve the CMS Quality Payment Program website through product user-testing that enhances system and program accessibility, readability and responsiveness as well as providing feedback for developing tools and guidance thereby allowing for a more user-friendly and accessible clinician and practice Quality Payment Program website experience.	Medium	Evidence of user participation and implementation of website testing for the Quality Payment Program (QPP)	1) Documentation of input to improve the CMS Quality Payment Program website through product user-testing aimed at enhancing system and program accessibility, readability and responsiveness and Provide feedback for developing tools and guidance for a more efficient and accessible clinician and practice QPP website experience.		2018	
A_PM_1	Population Management	Participation in systematic anticoagulation program	Participation in a systematic anticoagulation program (coagulation clinic, patient self-reporting program, or patient self-management program) for 60 percent of practice patients in the transition year and 75 percent of practice patients in Quality Payment Program Year 2 and future years who receive anti-coagulation medications (warfarin or other coagulation cascade inhibitors).	High	Documented participation of patients in a systematic anticoagulation program. Could be supported by claims	1) Patients Receiving Anti-Coagulation Medications - Total number of patients receiving anti-coagulation medications; and 2) Percentage of that Total Participating in a Systematic Anticoagulation Program - Documented number of referrals to a coagulation/anti-coagulation clinic; number of patients performing patient self-reporting (PST); or number of patients participating in self-management (PSM). With regards to whether you qualify as a coagulation clinic, your practice must be staffed by pharmacists and nurses with specific knowledge in anticoagulation therapy. Anticoagulation care is managed under the supervision of the AC Clinic Medical Director and the patient's physician.		2017	
			MIPS eligible clinicians and groups who prescribe oral Vitamin K antagonist therapy (warfarin) must attest that, for 60 percent of practice patients in the transition year and 75 percent of practice patients in Quality Payment Program Year 2 and future years, their ambulatory care patients receiving warfarin are being managed by one or more of these clinical practice improvement activities: • Patients are being managed by an anticoagulant management service, that involves systematic and		Documented participation of patients being managed by one or more clinical practice	1) Patients Receiving Anti-Coagulation Medications - Total number of outpatients prescribed oral Vitamin K antagonist therapy; and			



A_PM_2	Population Management	Anticoagulant management improvements	coordinated care*, incorporating comprehensive patient education, systematic INR testing, tracking, follow-up, and patient communication of results and dosing decisions; • Patients are being managed according to validated electronic decision support and clinical management tools that involve systematic and coordinated care, incorporating comprehensive patient education, systematic INR testing, tracking, follow-up, and patient communication of results and dosing decisions; • For rural or remote patients, patients are managed using remote monitoring or telehealth options that involve systematic and coordinated care, incorporating comprehensive patient education, systematic INR testing, tracking, follow-up, and patient communication of results and dosing decisions; and/or • For patients who demonstrate motivation, competency, and adherence, patients are managed using either a patient self-testing (PST) or patient-self-management (PSM) program.	High	Improvement activities. Could be supported by claims. Anticoagulation services may consult with patients over the phone, recommending dosage changes and setting dates for follow-up lab work and may also consult with the patient's personal physician or specialty physicians in complex cases.	2) Percentage of that Total Being Managed By a Clinical Practice Improvement Activity - Number of outpatients prescribed oral Vitamin K antagonist therapy and who are being managed by one or more of the four activities in the described in the activity description; and 3) Documentation plan to address patients' language and communication needs, literacy level, and cognitive and functional limitations. Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2017	
A_PM_3	Population Management	RHC, IHS or FQHC quality improvement activities	Participating in a Rural Health Clinic (RHC), Indian Health Service Medium Management (IHS), or Federally Qualified Health Center (FQHC) in ongoing engagement activities that contribute to more formal quality reporting, and that include receiving quality data back for broader quality improvement and benchmarking improvement which will ultimately benefit patients. Participation in Indian Health Service (IHS), as an improvement activity, requires MIPS eligible clinicians and groups to deliver care to federally recognized American Indian and Alaska Native populations in the U.S. and in the course of that care implement continuous clinical practice improvement including reporting data on quality of services being provided and receiving feedback to make improvements over time.	High	Participation in RHC, IHS, or FQHC occurs and clinical quality improvement occurs	1) Name of RHC, IHS or FQHC - Identified name of RHC, IHS, or FQHC in which the practice participates in ongoing engagement activities; and Continuous Quality Improvement Activities - Documented continuous quality improvement activities that contribute to more formal quality reporting, and that include receiving quality data back for broader quality and benchmarking improvement that ultimately benefits patients		2017	
A_PM_4	Population Management	Glycemic management services	For outpatient Medicare beneficiaries with diabetes and who are prescribed antidiabetic agents (e.g., insulin, sulfonylureas), MIPS eligible clinicians and groups must attest to having: For the first performance year, at least 60 percent of medical records with documentation of an individualized glycemic treatment goal that: a) Takes into account patient-specific factors, including, at least 1) age, 2) comorbidities, and 3) risk for hypoglycemia, and b) is reassessed at least annually. The performance threshold will increase to 75 percent for the second performance year and onward. Clinician would attest that, 60 percent for first year, or 75 percent for the second year, of their medical records that document individualized glycemic treatment represent patients who are being treated for at least 90 days during the performance period.	High	Report listing patients who are diabetic and prescribed antidiabetic agents and have documented glycemic treatment goals based on patient-specific factors	1) Diabetic Patients Prescribed Antidiabetic Agents - Total number of outpatients who are diabetic and prescribed antidiabetic agents; and 2) Documented Percentage of Total and each demographic group with Glycemic Treatment Goals and Assessed at Least Annually - Number of outpatients, stratified by demographic groups, who are diabetic and prescribed antidiabetic agents, with documented glycemic treatment goals; and the goals take into account patient-specific factors, including at least age, comorbidities, and risk for hypoglycemia; and are flagged for reassessment in following year. Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2017	Please note: CMS examples of stratification may include, patient demographics such as race/ethnicity, disability status (if available), sexual orientation (if available), sex, gender identity (if available), and geography
A_PM_5	Population Management	Engagement of community for health status improvement	Take steps to improve health status of communities, such as collaborating with key partners and stakeholders to implement evidenced-based practices to improve a specific chronic condition. Refer to the local Quality Improvement Organization (QIO) for additional steps to take for improving health status of communities as there are many steps to select from for satisfying this activity. QIOs work under the direction of CMS to assist MIPS eligible clinicians and groups with quality improvement, and review quality concerns for the protection of beneficiaries and the Medicare Trust Fund.	Medium	Activity to improve specific chronic condition for specific, identified population within the community is being undertaken	1) Documentation of Partnership in the Community - Screenshot of website or other correspondence identifying key partners and stakeholders and relevant initiative including specific chronic condition and target population; and Steps for Improving Community Health Status - Report detailing steps being taken to satisfy the activity including, e.g., timeline, purpose, and outcome that is in compliance with the local QIO		2017	
A_PM_6	Population Management	Use of toolkits or other resources to close healthcare disparities across communities	Take steps to improve healthcare disparities, such as Population Health Toolkit or other resources identified by CMS, the Learning and Action Network, Quality Innovation Network, or National Coordinating Center. Refer to the local Quality Improvement Organization (QIO) for additional steps to take for improving health status of communities as there are many steps to select from for satisfying this activity. QIOs work under the direction of CMS to assist eligible clinicians and groups with quality improvement, and review quality concerns for the protection of beneficiaries and the Medicare Trust Fund.	Medium	Activity to improve health disparities	1) Resources Used to Improve Disparities - Resources used, e.g., Population Health Toolkit; and Documentation of Steps - Report detailing activity as outlined by the local QIO with a statement outlining a plan of action to address specific identified disparities including evidence of disparity targeted and how this disparity is changing over time.		2017	
A_PM_7	Population Management	Use of QCDR for feedback reports that incorporate population health	Use of a QCDR to generate regular feedback reports that summarize local practice patterns and treatment outcomes, including for vulnerable populations.	High	Involvement with a QCDR to generate local practice patterns and outcomes reports including vulnerable populations	Participation in QCDR for population health, e.g., regular feedback reports provided by QCDR that summarize local practice patterns and treatment outcomes, including vulnerable populations		2017	
A_PM_9	Population Management	Participation in population health research	Participation in research that identifies interventions, tools or processes that can improve a targeted patient population.	Medium	Involvement in research to improve healthcare quality, outcomes, and access for targeted patient population NOTE: Attestation for IA_PM_9 and IA_PM_17 utilizing the same research project is prohibited.	1) Documentation of participation in research; and 2) Documentation of the interventions, tools, or processes used in the research; and 3) Documentation of the identified target population. 4) Documentation of intended and/or actual aims and outcomes. NOTE: Attestation for IA_PM_9 and IA_PM_17 utilizing the same research project is prohibited.		2017	
A_PM_10	Population Management	Use of QCDR data for quality improvement such as comparative analysis reports across patient populations	Participation in a QCDR, clinical data registries, or other registries run by other government agencies such as FDA, or private entities such as a hospital or medical or surgical society. Activity must include use of QCDR data for quality improvement (e.g., comparative analysis across specific patient populations for adverse outcomes after an outpatient surgical procedure and corrective steps to address adverse outcome).	Medium	Participation and use of QCDR, clinical data or other registries to improve quality of care	Participation in QCDR for quality improvement across patient populations, e.g., regular feedback reports provided by QCDR using data for quality improvement such as comparative analysis reports		2017	
A_PM_11	Population Management	Regular review practices in place on targeted patient population needs	Implementation of regular reviews of targeted patient population needs, such as structured clinical case reviews, which includes access to reports that show unique characteristics of eligible clinician's patient population, and how clinical treatment needs are being tailored. If necessary, to address unique needs and what resources in the community have been identified as additional resources.	Medium	Participation in reviews of targeted patient population needs including access to reports and community resources	1) Targeted Patient Population Identification - Documentation of method for identification and ongoing monitoring/review for a targeted patient population; or Report with Unique Characteristics - Reports that show unique characteristics of patient population and identification of vulnerable patients including tailored clinical treatments/medical records demonstrating how clinical treatment is meeting unique needs, and community resources where applicable. This documentation of improvements (intended or realized) should provide evidence of tailored clinical treatments that meet the patient's unique needs.		2017	Sub-IA-1: Participation in prospective peer review of clinical cases
A_PM_12	Population Management	Population empanelment	Empanel (assign responsibility for) the total population, linking each patient to a MIPS eligible clinician or group or care team. Empanelment is a series of processes that assign each active patient to a MIPS eligible clinician or group and/or care team, confirm assignment with patients and clinicians, and use the resultant patient panels as a foundation for individual patient and population health management. Empanelment identifies the patients and population for whom the MIPS eligible clinician or group and/or care team is responsible and is the foundation for the relationship continuity between patient and MIPS eligible clinician or group care team that is at the heart of primary care. Effective empanelment requires identification of the "active population" of the practice: those patients who identify and use your practice as a source for primary care. There are many ways to define "active patients" operationally, but generally, the definition of "active patients" includes patients who have sought care within the last 24 to 36 months, allowing inclusion of younger patients who have minimal acute or preventive health care.	Medium	Functionality of patient population empanelment including use of panels for health management	1) Active Population Empanelment - Identification of "active population" of the practice with empanelment and assignment confirmation linking patients to MIPS eligible clinician or care team; and Process for Updating Panel - Process for review and update of panel assignments		2017	

A_PM_13	Population Management	Chronic care and preventive care management for empaneled patients	Proactively manage chronic and preventive care for empaneled patients that could include one or more of the following: • Provide patients annually with an opportunity for development and/or adjustment of an individualized plan of care as appropriate to age and health status, including health risk appraisal; gender, age and condition-specific preventive care services; plan of care for chronic conditions; • Use condition-specific pathways for care of chronic conditions (e.g., hypertension, diabetes, depression, asthma and heart failure) with evidence-based protocols to guide treatment to target, such as a CDC-recognized diabetes prevention program; • Use pre-visit planning to optimize preventive care and team management of patients with chronic conditions; • Use panel support tools (registry functionality) to identify services due; • Use predictive analytic models to predict risk, onset and progression of chronic diseases; or • Use reminders and outreach (e.g., phone calls, emails, postcards, patient portals and community health workers where available) to alert and educate patients about services due; and/or Routine medication reconciliation.	Medium	Management of empaneled patients' chronic and preventive care needs (could use EHR or medical records)	1) Individualized Plan of Care - Annual opportunity for development and/or adjustment of an individualized plan of care appropriate to age and health status; or 2) Condition-Specific Pathways - Use of condition-specific pathways for chronic conditions with evidence-based protocols, or 3) Pre-visit Planning - Use of pre-visit planning to optimize preventive care and team management; or 4) Panel Support Tools - Use of panel support tools to identify services that are due; or 5) Reminders and Outreach - Use of reminders and outreach to alert and educate patients about services due; or 6) Medication Reconciliation - Use of routine medication reconciliation Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2017	
A_PM_14	Population Management	Implementation of methodologies for improvements in longitudinal care management for high risk patients	Provide longitudinal care management to patients at high risk for adverse health outcome or harm that could include one or more of the following: Use a consistent method to assign and adjust global risk status for all empaneled patients to allow risk stratification into actionable risk cohorts. Monitor the risk-stratification method and refine as necessary to improve accuracy of risk status identification; Use a personalized plan of care for patients at high risk for adverse health outcome or harm, integrating patient goals, values and priorities; and/or Use on-site practice-based or shared care managers to proactively monitor and coordinate care for the highest risk cohort of patients.	Medium	Longitudinal care management to patients at high risk for adverse health outcome or harm	1) High Risk Patients - Identification of patients at high risk for adverse health outcome or harm; and 2) Use of Longitudinal Care Management - Documented use of longitudinal care management methods including at least one of the following: a) empaneled patient risk assignment and risk stratification into actionable risk cohorts; or b) personalized care plans for patients at high risk for adverse health outcome or harm; or c) evidence of use of on-site practice based or shared care managers to monitor and coordinate care for highest risk cohort Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2017	
A_PM_15	Population Management	Implementation of episodic care management practice improvements	Provide episodic care management, including management across transitions and referrals that could include one or more of the following: Routine and timely follow-up to hospitalizations, ED visits and stays in other institutional settings, including symptom and disease management, and medication reconciliation and management; and/or Managing care intensively through new diagnoses, injuries and exacerbations of illness.	Medium	Provision of episodic care management practice improvements (could use medical records or claims)	1) Follow-Up on Hospitalizations, ED or Other Visits and Medication Management - Routine and timely follow-up to hospitalizations, ED or other institutional visits, and medication reconciliation and management (e.g. documented in medical record or EHR); or 2) New diagnoses, injuries and Exacerbations - Care management through new diagnoses, injuries and exacerbations of illness (medical record) Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2017	
A_PM_16	Population Management	Implementation of medication management practice improvements	Manage medications to maximize efficiency, effectiveness and safety that could include one or more of the following: Reconcile and coordinate medications and provide medication management across transitions of care settings and eligible clinicians or groups; Integrate a pharmacist into the care team; and/or Conduct periodic, structured medication reviews.	Medium	Inclusion of medication management practice improvements	1) Documented Medication Reviews or Reconciliation - Patient medical records demonstrating periodic structured medication reviews or reconciliation; or 2) Integrated Pharmacist - Evidence of pharmacist integrated into care team; or 3) Reconciliation Across Transitions - Reconciliation and coordination of medications across transitions of care; or 4) Medication Management Improvement Plan - Report detailing medication management practice improvement plan and outcomes, if available Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2017	
A_PM_17	Population Management	Participation in Population Health Research	Participation in federally funded research that identifies interventions, tools, or processes that can improve a targeted patient population.	High	Evidence supporting participation in a federally funded research initiative to identify systems, tools, or strategies that improve patient outcomes for a targeted population. NOTE: Attestation for IA_PM_9 and IA_PM_17 utilizing the same research project is prohibited.	1) Documentation of participation in federally funded research; and 2) Documentation of the interventions, tools, or processes used in the research; and 3.) Documentation of the identified target population, and health outcomes targeted. NOTE: Attestation for IA_PM_9 and IA_PM_17 utilizing the same research project is prohibited.		2018	
A_PM_18	Population Management	Provide Clinical-Community Linkages	Engaging community health workers to provide a comprehensive link to community resources through family-based services focusing on success in health, education, and self-sufficiency. This activity supports individual MIPS eligible clinicians or groups that coordinate with primary care and other clinicians, engage and support patients, use of health information technology, and employ quality measurement and improvement processes. An example of this community based program is the NCQA Patient-Centered Connected Care (PCCC) Recognition Program or other such programs that meet these criteria.	Medium	Evidence of engagement with community health workers to provide a comprehensive link to community resources and family-based services with an emphasis on improving health, education, and self-sufficiency	1) Documentation of engagement with community health workers; and 2) A demonstrated link to community resources that promote family-based services i.e. paper work, notes, etc.; and 3) Documentation of coordination with primary care and other clinicians to engage and support patients, use of health information technology, and employ quality measurement and improvement processes, e.g. NCQA Patient-Centered Connected Care (PCCC) Recognition Program or similar programs. Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2018	Sub-IA-1: Hot Topic in HIV
A_PM_19	Population Management	Glycemic Screening Services	For at-risk outpatient Medicare beneficiaries, individual MIPS eligible clinicians and groups must attest to implementation of systematic preventive approaches in clinical practice for at least 60 percent for the 2018 performance period and 75 percent in future years, of electronic medical records with documentation of screening patients for abnormal blood glucose according to current US Preventive Services Task Force (USPSTF) and/or American Diabetes Association (ADA) guidelines.	Medium	Evidence supporting implementation of systematic preventive approaches in clinical practice for abnormal blood glucose	1) Total stratified number of Medicare patients at risk for abnormal blood glucose; and 2) Percentage of each demographic group and the total screened for abnormal blood glucose as outlined by the US Preventive Services Task Force (USPSTF) and/or American Diabetes Association (ADA) guidelines. Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2018	Please note: CMS examples of stratification may include, patient demographics such as race/ethnicity, disability status (if available), sexual orientation (if available), sex, gender identity (if available), and geography

A_PM_20	Population Management	Glycemic Referring Services	For at-risk outpatient Medicare beneficiaries, individual MIPS eligible clinicians and groups must attest to implementation of systematic preventive approaches in clinical practice for at least 60 percent for the CY 2018 performance period and 75 percent in future years, of medical records with documentation of referring eligible patients with prediabetes to a CDC-recognized diabetes prevention program operating under the framework of the National Diabetes Prevention Program.	Medium	Evidence supporting implementation of systematic preventive approaches in clinical practice for prediabetes	1) Total stratified number of Medicare patients at risk for abnormal blood glucose; and 2) Percentage of each demographic group and the total screened for abnormal blood glucose as outlined by the US Preventive Services Task Force (USPSTF) and/or American Diabetes Association (ADA) guidelines. Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2018	Please note: CMS examples of stratification may include: patient demographics such as race/ethnicity, disability status (if available), sexual orientation (if available), sex, gender identity (if available), and geography.
A_PM_21	Population Management	Advance Care Planning	Implementation of practices/processes to develop advance care planning that includes: documenting the advance care plan or living will within the medical record, educating clinicians about advance care planning motivating them to address advance care planning needs of their patients, and how these needs can translate into quality improvement, educating clinicians on approaches and barriers to talking to patients about end-of-life and palliative care needs and ways to manage its documentation, as well as informing clinicians of the healthcare policy side of advance care planning.	Medium	Evidence supporting implementation of practices/processes to develop advance care planning, with evidence taking into account a patient's literacy level, language, communication preferences, and cognitive or functional limitations	1.) Documentation of process implementation for advance care planning/policy or living will development within the medical record; and 2.) Documentation of clinician education about advance care planning to address advance care planning needs; and 3.) Documentation illustrating how care plan needs were translated into quality improvement; and 4.) Documentation of how clinicians are educated regarding strategies for addressing end-of-life and palliative care needs Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2018	
A_CC_1	Care Coordination	Implementation of use of specialist reports back to referring clinician or group to close referral loop	Performance of regular practices that include providing specialist reports back to the referring MIPS eligible clinician or group to close the referral loop or where the referring MIPS eligible clinician or group initiates regular inquiries to specialist for specialist reports which could be documented or noted in the EHR technology.	Medium	Functionality of providing information by specialist to referring clinician or inquiring clinician receives and documents specialist report	1) Specialist Reports to Referring Clinician - Sample of specialist reports reported to referring clinician or group (e.g. within EHR or medical record); or 2) Specialist Reports from Inquiries in Certified EHR - Specialist reports documented in inquiring clinicians certified EHR or medical records Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2017	
A_CC_2	Care Coordination	Implementation of improvements that contribute to more timely communication of test results	Timely communication of test results defined as timely identification of abnormal test results with timely follow-up.	Medium	Functionality of reporting abnormal test results in a timely basis with follow-up to streamline the communication process between the provider and patient	EHR reports or medical records demonstrating timely communication of abnormal test results to patient (capturing the communication rate and working toward improvement of that rate.)		2017	
A_CC_3	Care Coordination	Implementation of additional activity as a result of TA for improving care coordination	Implementation of at least one additional recommended activity from the Quality Innovation Network-Quality Improvement Organization after technical assistance has been provided related to improving care coordination.	Medium	Implementation of at least one recommended QIN-QIO activity related to care coordination	1) QIN/QIO Technical Assistance - Documentation of Quality Innovation Network- Quality Improvement Organization technical assistance; and Activity Implementation - Documentation that at least one recommended care coordination activity has been implemented (e.g. report detailing activity, patients cohort, results)		2017	
A_CC_4	Care Coordination	TCPI participation	Participation in the CMS Transforming Clinical Practice Initiative.	Medium	Active participation in TCP Initiative	Confirmation of participation in the TCP Initiative for that year (e.g. CMS confirmation email) https://innovation.cms.gov/initiatives/Transforming-Clinical-Practices/		2017	
A_CC_5	Care Coordination	CMS partner in Patients Hospital Engagement Network	Membership and participation in a CMS Partnership for Patients Hospital Engagement Network.	Medium	Active participation in Partnership for Patients Hospital Engagement Network (HEN) initiative	Confirmation of participation in the Partnership for Patients Hospital Engagement Network (HEN) initiative for that year (e.g. CMS confirmation email) https://innovation.cms.gov/initiatives/Partnership-for-Patients/		2017	
A_CC_6	Care Coordination	Use of QCDR to promote standard practices, tools and processes in practice for improvement in care coordination	Participation in a Qualified Clinical Data Registry, demonstrating performance of activities that promote use of standard practices, tools and processes for quality improvement (e.g., documented preventative screening and vaccinations that can be shared across MIPS eligible clinician or groups).	Medium	Active participation in QCDR to promote standard practices, tools and processes for quality improvement	Participation in QCDR demonstrating promotion of standard practices, tools and processes for quality improvement, e.g., regular feedback reports provided by QCDR that demonstrate the use of QCDR data to promote use of standard practices, tools, and processes for quality improvement, including, e.g., preventative screenings		2017	
A_CC_7	Care Coordination	Regular training in care coordination	Implementation of regular care coordination training.	Medium	Inclusion of regular care coordination training in practice within the attestation period Note: The main goal of care coordination is to meet patients' needs and preferences in the delivery of high-quality, high-value health care. This means that the patient's needs and preferences are known and communicated, and that this information is used to guide the delivery of safe, appropriate, and effective care.	Documentation of implemented regular care coordination training (within the attestation period) within practice, e.g., availability of care coordination training curriculum/training materials and attendance or training certification registers/documents NOTE: The main goal of care coordination is to meet patients' needs and preferences in the delivery of high-quality, high-value health care. This means that the patient's needs and preferences are known and communicated, and that this information is used to guide the delivery of safe, appropriate, and effective care.		2017	
A_CC_8	Care Coordination	Implementation of documentation improvements for practice/process improvements	Implementation of practices/processes that document care coordination activities (e.g., a documented care coordination encounter that tracks all clinical staff involved and communications from date patient is scheduled for outpatient procedure through day of procedure).	Medium	Processes and practices are implemented to improve care coordination	Documentation of the implementation of practices/processes that document care coordination activities, e.g., documented care coordination encounter that tracks clinical staff involved and communications from date patient is scheduled through day of procedure. Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2017	
		Implementation of practices/processes for			Individual care coordination plans including a discussion on care are regularly developed	1) Individual Care Plans for At-Risk Patients - Documented practices/processes for developing regularly individual care plans for at-risk patients, e.g., template care plan; and 2) Use of Care Plan with Beneficiary - Patient medical records demonstrating care plan being shared with beneficiary or caregiver, including consideration of a patient's goals and priorities,			

A_CC_9	Care Coordination	Developing regular individual care plans	Implementation of practices/processes, including a discussion on care, to develop regularly updated individual care plans for at-risk patients that are shared with the beneficiary or caregiver(s). Individual care plans should include consideration of a patient's goals and priorities, as well as desired outcomes of care.	Medium	and updated for at-risk patients and shared with beneficiary or caregiver	social risk factors, language and communication preferences, physical or cognitive limitations, as well as desired outcomes of care Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2017	
A_CC_10	Care Coordination	Care transition documentation practice improvements	Implementation of practices/processes for care transition that include documentation of how a MIPS eligible clinician or group carried out a patient-centered action plan for first 30 days following a discharge (e.g., staff involved, phone calls conducted in support of transition, accompaniments, navigation actions, home visits, patient information access, etc.).	Medium	Patient-centered, care transition action plan with evidence of implementation for the first 30 days following a discharge. Action plan and patient communication that could take into account patient communication and language preferences, available supports and services, and patients' discharge environment.	Documentation of care transition practices/processes including a patient-centered action plan documenting how patients' specific medical, social, and communication needs are met for the first 30 days following a discharge		2017	
A_CC_11	Care Coordination	Care transition standard operational improvements	Establish standard operations to manage transitions of care that could include one or more of the following: Establish formalized lines of communication with local settings in which empaneled patients receive care to ensure documented flow of information and seamless transitions in care; and/or Partner with community or hospital-based transitional care services.	Medium	Functionality of information flow during transitions of care to ensure seamless transitions	1) Communication Lines with Local Settings - Documentation of formal lines of communication to manage transitions of care with local settings (e.g. community or hospital-based transitional care services) in which empaneled patients receive care to ensure documented flow of information and seamless transitions; or Partnership with Community or Hospital-Based Transitional Care Services - Documentation showing partnership with community or hospital-based transitional care services		2017	
A_CC_12	Care Coordination	Care coordination agreements that promote improvements in patient tracking across settings	Establish effective care coordination and active referral management that could include one or more of the following: Establish care coordination agreements with frequently used consultants that set expectations for documented flow of information and MIPS eligible clinician or MIPS eligible clinician group expectations between settings. Provide patients with information that sets their expectations consistently with the care coordination agreements; Track patients referred to specialist through the entire process; and/or Systematically integrate information from referrals into the plan of care.	Medium	Functionality of effective care coordination and referral management	1) Care Coordination Agreements - Sample of care coordination agreements with frequently used consultant that establish documented flow of information and provides patients with information to set consistent expectations; or 2) Tracking of Patient Referrals to Specialists - Medical record or EHR documentation demonstrating tracking of patients referred to specialists through the entire process; or Referral Information Integrated into the Plan of Care - Samples of specialist referral information systematically integrated into the plan of care		2017	
A_CC_13	Care Coordination	Practice improvements for bilateral exchange of patient information	Ensure that there is bilateral exchange of necessary patient information to guide patient care, such as Open Notes, that could include one or more of the following: • Participate in a Health Information Exchange if available; and/or Use structured referral notes.	Medium	Functionality of bilateral exchange of patient information to guide patient care	1) Participation in an HIE - Confirmation of participation in a health information exchange (e.g. email confirmation, screen shots demonstrating active engagement with Health Information Exchange; or 2) Structured Referral Notes - Sample of patient medical records including structured referral notes Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2017	
A_CC_14	Care Coordination	Practice improvements that engage community resources to support patient health goals	Develop pathways to neighborhood/community-based resources to support patient health goals that could include one or more of the following: • Maintain formal (referral) links to community-based chronic disease self-management support programs, exercise programs and other wellness resources with the potential for bidirectional flow of information; and/or provide a guide to available community resources. • Including through the use of tools that facilitate electronic communication between settings; • Screen patients for health-harming legal needs; • Screen and assess patients for social needs using tools that are preferably health IT enabled and that include to any extent standards-based, coded question/field for the capture of data as feasible and available as part of such tool; and/or Provide a guide to available community resources.	Medium	Availability of formal links to community-based health and wellness programs potentially including availability of resource guides that address identified social determinants of health	1) Community-Based Chronic Disease Self-Management Programs - Documentation of community-based chronic disease self-management support programs, exercise programs, and other wellness resources (including specific names) with which practices have formal referral links and have potential bidirectional flow of information; or 2) Provision of Community Resource Guides - Medical record demonstrating provision of a guide to community resources to meet identified social determinants of health (e.g., safe housing, transportation, social support) Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2017	
A_CC_15	Care Coordination	PSH Care Coordination	Participation in a Perioperative Surgical Home (PSH) that provides a patient-centered, physician-led, interdisciplinary, and team-based system of coordinated patient care, which coordinates care from pre-procedure assessment through the acute care episode, recovery, and post-acute care. This activity allows for reporting of strategies and processes related to care coordination of patients receiving surgical or procedural care within a PSH. The clinician must perform one or more of the following care coordination activities: • Coordinate with care managers/navigators in preoperative clinic to plan and implementation comprehensive post discharge plan of care; • Deploy perioperative clinic and care processes to reduce post-operative visits to emergency rooms; • Implement evidence-informed practices and standardize care across the entire spectrum of surgical patients; or Implement processes to ensure effective communications and education of patients' post-discharge instructions.	Medium	Evidence of participation in a Perioperative Surgical Home (PSH) model that provides a patient-centered, physician-led, interdisciplinary, and team-based system of coordinated patient care	1) Coordinate with care managers/navigators in preoperative clinic to plan and implement comprehensive post discharge plan of care that could take into account patients' post discharge environment and support system out of the hospital; and 2) Deploy perioperative clinic and care processes to reduce post-operative visits to emergency rooms; and 3) Implement evidence-informed practices and standardize care across the entire spectrum of surgical patients; and 4) Implement processes to ensure effective communications and education of patients' post-discharge instructions, taking into account patients' literacy level, language and communication preferences, and cognitive or functional impairments. Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2018	Sub-IA-1: Participation in a Perioperative Surgical Home
A_CC_16	Care Coordination	Primary Care Physician and Behavioral Health Bilateral Electronic Exchange of Information for Shared Patients	The primary care and behavioral health practices use the same electronic health record system for shared patients or have an established bidirectional flow of primary care and behavioral health records.	Medium	Evidence of collaboration and bidirectional flow between the primary care physician and behavioral health practices where EHRs share common patients.	1) Documentation of established bidirectional flow between primary care and behavioral health practices that share common patients or use the same EHR systems Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2018	
A_CC_17	Care Coordination	Patient Navigator Program	Implement a Patient Navigator Program that offers evidence-based resources and tools to reduce avoidable hospital readmissions, utilizing a patient-centered and team-based approach, leveraging evidence-based best practices to improve care for patients by making hospitalizations less stressful, and the recovery period more supportive by implementing quality improvement strategies.	High	Evidence of participation in a Patient Navigator Program (PNP), including engaging with Community Health Workers or Promotors, designed to assist patients with communicating with health care providers regarding their questions, obtain information about their procedures/treatments and arrange for test or appointments. PNP should take into account patients' language and	1) Documentation of evidenced-based resources and tools to reduce avoidable hospital readmissions; and 2) Utilization of a patient-centered and team-based approach leveraging evidence-based best practices to improve care for patients by making hospitalizations less stressful; and 3) Implementation of systems, tools and strategies that encourage a more supportive recovery period.		2018	

					communication preferences, literacy level, and cognitive and physical disabilities.	Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.			
A_BE_1	Beneficiary Engagement	Use of certified EHR to capture patient reported outcomes	In support of improving patient access, performing additional activities that enable capture of patient reported outcomes (e.g., home blood pressure, blood glucose logs, food diaries, at-risk health factors such as tobacco or alcohol use, etc.) or patient activation measures through use of certified EHR technology, containing this data in a separate queue for clinician recognition and review.	Medium	Functionality of patient reported outcomes in certified EHR	1) Patient Reported Outcomes in EHR - Report from the certified EHR, showing the capture of PROs or the patient activation measures performed; or 2) Separate Queue for Recognition and Review - Documentation showing the call out of this data for clinician recognition and review (e.g. within a report or a screen-shot) Patient Activation Measures (PAM) assesses an individual's knowledge, skill, and confidence for managing one's health and healthcare. You can learn more about the development of the original Patient Activation Measure (PAM) on the Wiley Online Library site: http://onlinelibrary.wiley.com/doi/10.1111/1475-6773.2004.00269.x/full	Yes	2017	
A_BE_2	Beneficiary Engagement	Use of QCDR to support clinical decision making	Participation in a QCDR, demonstrating performance of activities that promote implementation of shared clinical decision making capabilities.	Medium	Use of QCDR that shows performance of activities promoting shared clinical decision making capabilities	Participation in QCDR to support clinical decision making, e.g., regular feedback reports provided by QCDR that document performance of activities promoting shared clinical decision-making capabilities		2017	
A_BE_3	Beneficiary Engagement	Engagement with QIN-QIO to implement self-management training programs	Engagement with a Quality Innovation Network-Quality Improvement Organization, which may include participation in self-management training programs such as diabetes.	Medium	Use of QIN-QIO to implement self-management training programs	Documentation from QIN-QIO of eligible clinician or group's engagement and use of services to assist with, e.g., self-management training program(s) such as diabetes		2017	
A_BE_4	Beneficiary Engagement	Engagement of patients through implementation of improvements in patient portal	Access to an enhanced patient portal that provides up to date information related to relevant chronic disease health or blood pressure control, and includes interactive features allowing patients to enter health information and/or enables bidirectional communication about medication changes and adherence.	Medium	Functionality of patient portal that includes patient interactive features	Documentation through screenshots or reports of an enhanced patient portal, e.g. portal functions that provide up to date information related to chronic disease health or blood pressure control, interactive features allowing patients to enter health and demographic information (e.g., race/ethnicity, sexual orientation, sex, gender identity, disability), and/or bidirectional communication about medication changes and adherence Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2017	
A_BE_5	Beneficiary Engagement	Enhancements/regular updates to practice websites/tools that also include considerations for patients with cognitive disabilities	Enhancements and ongoing regular updates and use of websites/tools that include consideration for compliance with section 508 of the Rehabilitation Act of 1973 or for improved design for patients with cognitive disabilities. Refer to the CMS website on Section 508 of the Rehabilitation Act https://www.cms.gov/Research-Statistics-Data-and-Systems/CMS-Information-Technology/Section508/index.html?redirect=InfoTechGenInfo/07_Section508.asp that requires that institutions receiving federal funds solicit, procure, maintain and use all electronic and information technology (EIT) so that equal or alternate/comparable access is given to members of the public with and without disabilities. For example, this includes designing a patient portal or website that is compliant with section 508 of the Rehabilitation Act of 1973	Medium	Practice website/tools are regularly updated and enhanced and are Section 508 compliant	1) Regular Updates and Section 508 Compliance Process - Documentation of regular updates and Section 508 compliance process for the clinician's patient portal or website; and 2) Compliant Website/Tools - Screenshots or hard copies of the practice's website/tools showing enhancements and regular updates in compliance with section 508 of the Rehabilitation Act of 1973 Find 508 compliance information at https://www.section508.gov/		2017	
A_BE_6	Beneficiary Engagement	Collection and follow-up on patient experience and satisfaction data on beneficiary engagement	Collection and follow-up on patient experience and satisfaction data on beneficiary engagement, including development of improvement plan.	High	Patient experience and satisfaction data on beneficiary engagement is collected and follow up occurs through an improvement plan	1) Follow-Up on Patient Experience and Satisfaction - Documentation of collection and follow-up on patient experience and satisfaction (e.g. survey results) which must be administered by a survey administrator/vendor; and Patient Experience and Satisfaction Improvement Plan - Documented patient experience and satisfaction improvement plan		2017	
A_BE_7	Beneficiary Engagement	Participation in a QCDR, that promotes use of patient engagement tools.	Participation in a QCDR, that promotes use of patient engagement tools.	Medium	Participation in QCDR promoting use of engagement tools	Participation in QCDR that promotes use of patient engagement tools, e.g., regular feedback reports provided by the QCDR detailing activities promoting the use of patient engagement tools		2017	
A_BE_8	Beneficiary Engagement	Participation in a QCDR, that promotes collaborative learning network opportunities that are interactive.	Participation in a QCDR, that promotes collaborative learning network opportunities that are interactive.	Medium	Participation in QCDR promoting collaborative learning network interactive opportunities	Participation in QCDR that promotes interactive collaborative learning network opportunities, e.g., regular feedback reports provided by the QCDR that promote interactive collaborative learning networks		2017	
A_BE_9	Beneficiary Engagement	Use of QCDR patient experience data to inform and advance improvements in beneficiary engagement	Use of QCDR patient experience data to inform and advance improvements in beneficiary engagement.	Medium	Use of patient experience data, stratified by patient demographics such as race/ethnicity, disability status (if available), sexual orientation (if available), sex, gender identity (if available), and geography, from the QCDR to inform and advance improvements in beneficiary engagement	Participation in QCDR to inform and advance improvements in beneficiary e.g., regular feedback reports provided by the QCDR that show participation in the use of patient experience data for the population or stratified sample with an emphasis on informing and advancing beneficiary engagement		2017	Please note: CMS examples of stratification may include, patient demographics such as race/ethnicity, disability status (if available), sexual orientation (if available), sex, gender identity (if available), and geography
A_BE_10	Beneficiary Engagement	Participation in a QCDR, that promotes implementation of patient self-action plans.	Participation in a QCDR, that promotes implementation of patient self-action plans.	Medium	Participation in a QCDR to promote implementation of patient self-action plans	Participation in QCDR that promotes implementation of patient self-action plans, e.g., regular feedback reports provided by the QCDR that show the promotion and use of patient self-action plans.		2017	
A_BE_11	Beneficiary Engagement	Participation in a QCDR, that promotes use of processes and tools that engage patients for adherence to treatment plan.	Participation in a QCDR, that promotes use of processes and tools that engage patients for adherence to treatment plan.	Medium	Participation in a QCDR to promote use of processes and tools to engage patients to adhere to treatment plans	Participation in QCDR promoting engagement of patients for adherence to treatment plans, e.g., regular feedback reports provided by the QCDR showing the promotion of processes and tools that engage patients for adherence to treatment plans		2017	

A_BE_12	Beneficiary Engagement	Use evidence-based decision aids to support shared decision-making.	Use evidence-based decision aids to support shared decision-making.	Medium	Use of evidence based decision aids to support shared decision-making with beneficiary	Documentation (e.g. checklist, algorithms, tools, screenshots) showing the use of evidence-based decision aids to support shared decision-making with beneficiary		2017	
A_BE_13	Beneficiary Engagement	Regularly assess the patient experience of care through surveys, advisory councils and/or other mechanisms.	Regularly assess the patient experience of care through surveys, advisory councils and/or other mechanisms.	Medium	Conduct of regular assessments of patient care experience, taking into account specific populations served and including them in this assessment, such as identified vulnerable populations	Documentation (e.g. survey results, advisory council notes and/or other methods) showing regular assessments of the patient care experience to improve the experience, taking into account specific populations served and including them in this assessment, such as identified vulnerable populations. Surveys should be administered independently to the best extent possible		2017	
A_BE_14	Beneficiary Engagement	Engage patients and families to guide improvement in the system of care.	Engage patients and families to guide improvement in the system of care. Engage patients and families to guide improvement in the system of care by leveraging digital tools for ongoing guidance and assessments outside the encounter, including the collection and use of patient data for return-to-work and patient quality of life improvement. Platforms and devices that collect patient-generated health data (PGHD) must do so with an active feedback loop, either providing PGHD in real or near-real time to the care team, or generating clinically endorsed real or near-real time automated feedback to the patient, including patient reported outcomes (PROs). Examples include patient engagement and outcomes tracking platforms, cellular or web-enabled bi-directional systems, and other devices that transmit clinically valid objective and subjective data back to care teams. Because many consumer-grade devices capture PGHD (for example, wellness devices), platforms or devices eligible for this improvement activity must be, at a minimum, endorsed and offered clinically by care teams to patients to automatically send ongoing guidance (one way). Platforms and devices that additionally collect PGHD must do so with an active feedback loop, either providing PGHD in real or near-real time to the care team, or generating clinically endorsed real or near-real time automated feedback to the patient (e.g. automated patient-facing instructions based on glucometer readings). Therefore, unlike passive platforms or devices that may collect but do not transmit PGHD in real or near-real time to clinical care teams, active devices and platforms can inform the patient or the clinical care team in a timely manner of important parameters regarding a patient's status, adherence, comprehension, and indicators of clinical concern.	High	Functionality of methods to engage patients and families, which may include patients and families that need additional support due to disability, in improving the system of care by leveraging digital tools for ongoing guidance and assessments outside the encounter and with the use of active feedback loops	1) Documentation showing patient and family engagement using digital collection and use of patient data, which may include patients and families that need additional support due to disability, for return-to-work and patient quality of life improvement; and 2) Documentation of PGHD in real or near-real time to the care team, or generating clinically endorsed real or near-real time automated feedback to the patient, including patient reported outcomes (PROs) e.g. meeting agendas and summaries where patient's families have been engaged, survey results from patients and/or families; and improvements made in the system of care; surveys should be administered by a third-party survey administrator/vendor to the best extent possible Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2017	Sub-IA-1: Non-face-to-face chronic care management using remote monitoring and/or telehealth technology; Sub-IA-2: Leveraging digital tools for ongoing guidance/assessments outside the encounter; Sub-IA-3: Manage My Surgery™ (MMS); Sub-IA-4: Patient Reported Outcomes Also known as Patient Reported Outcome Measures (PROMs); Sub-IA-5: Healthcare professional utilizes mobile remote monitoring to facilitate CHF management; Sub-IA-6: Medication reminders through mobile phones for hypertension medication adherence; Collection and use of patient data for return-to-work and patient quality of life improvement; Sub-IA-7: Non-face-to-face chronic care management using remote monitoring and/or telehealth technology; Sub-IA-8: Sonar MD; Sub-IA-9: Remote monitoring of empaneled chronic care management patients;
A_BE_15	Beneficiary Engagement	Engagement of patients, family and caregivers in developing a plan of care	Engage patients, family and caregivers in developing a plan of care and prioritizing their goals for action, documented in the electronic health record (EHR) technology.	Medium	Inclusion of patients, family and caregivers in plan of care and prioritizing goals for action, as documented in HER	Report from the certified EHR, showing the plan of care and prioritized goals for action with engagement of the patient, family and caregivers, if applicable Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2017	
A_BE_16	Beneficiary Engagement	Evidenced-based techniques to promote self-management into usual care	Incorporate evidence-based techniques to promote self-management into usual care, using techniques such as goal setting with structured follow-up, Teach Back, action planning or motivational interviewing.	Medium	Functionality of evidence based techniques to promote self-management into usual care	Documented evidence-based techniques to promote self-management into usual care; and evidence of the use of the techniques (e.g. clinicians completed office visit checklist, EHR report of completed checklist, copies of goal setting tools or techniques, motivational interviewing script/questions, action planning tool with patient feedback)		2017	
A_BE_17	Beneficiary Engagement	Use of tools to assist patient self-management	Use tools to assist patients in assessing their need for support for self-management (e.g., the Patient Activation Measure or How's My Health).	Medium	Use of tools to assist patient self-management	Documentation in medical record or EHR showing use of Patient Activation Measure, How's My Health, or similar tools to assess patients need for support for self-management Patient Activation Measures (PAM) assesses an individual's knowledge, skill, and confidence or managing one's health and healthcare. You can learn more about the development of the original Patient Activation Measure (PAM) on the Wiley Online Library site: http://onlinelibrary.wiley.com/doi/10.1111/1475-6773.2004.00269.x/full		2017	
A_BE_18	Beneficiary Engagement	Provide peer-led support for self-management.	Provide peer-led support for self-management.	Medium	Use of peer-led self-management	Documentation in medical record or EHR of peer-led self-management program. Peer-led self-management requires peer groups that include beneficiaries with the same condition or disease.		2017	
A_BE_19	Beneficiary Engagement	Use group visits for common chronic conditions (e.g., diabetes).	Use group visits for common chronic conditions (e.g., diabetes).	Medium	Use of group visits for chronic conditions. Could be supported by claims	Medical claims or referrals showing group visit and chronic condition codes in conjunction with care provided		2017	
A_BE_20	Beneficiary Engagement	Implementation of condition-specific chronic disease self-management support programs	Provide condition-specific chronic disease self-management support programs or coaching or link patients to those programs in the community.	Medium	Use of condition-specific chronic disease self-management programs or coaching or link to community programs	1) Chronic Disease Self-Management Support Program - Documentation from medical record or EHR showing condition specific chronic disease self-management support program or coaching; or Community Chronic Disease Self-Management Support Program - Documentation of referral/link of patients to condition specific chronic disease self-management support programs in the community		2017	
A_BE_21	Beneficiary Engagement	Improved practices that disseminate appropriate self-management materials	Provide self-management materials at an appropriate literacy level and in an appropriate language.	Medium	Provision of self-management materials appropriate for literacy level and language	Documented provision in EHR or medical record of self-management materials, e.g., pamphlet, discharge summary language, or other materials that include self-management materials appropriate for the patient's literacy and language		2017	
A_BE_22	Beneficiary Engagement	Improved practices that engage patients pre-visit	Implementation of workflow changes that engage patients prior to the visit, such as a pre-visit development of a shared visit agenda with the patient, or targeted pre-visit laboratory testing that will be resulted and available to the MIPS eligible clinician to review and discuss during the patient's appointment.	Medium	Pre-visit agenda shared with patient	1) Documentation of a letter, email, portal screenshot, etc. that shows a pre-visit agenda was shared with patient; and 2) Documentation of the practice's patient engagement workflow		2017	
A_BE_23	Beneficiary Engagement	Integration of patient coaching practices between visits	Provide coaching between visits with follow-up on care plan and goals.	Medium	Use of coaching between visits with follow-up on care plan and goals. Could be supported by claims	Documentation of: 1) Use of Coaching Codes - Medical claims with codes for coaching provided between visits; or 2) Coaching Plan and Goals - Copy of documentation provided to patients (e.g. letter,		2017	

						email, portal screenshot) that includes coaching on care plan and goals; or coaching scripts, tools, materials			
A_PSPA_1	Patient Safety & Practice Assessment	Participation in an AHRQ-listed patient safety organization.	Participation in an AHRQ-listed patient safety organization.	Medium	Participation in an AHRQ-listed patient safety organization	Documentation from an AHRQ-listed patient safety organization (PSO) confirming the eligible clinician or group's participation with the PSO. PSOs listed by AHRQ are here: http://www.pso.ahrq.gov/listed		2017	
A_PSPA_2	Patient Safety & Practice Assessment	Participation in MOC Part IV	Participation in Maintenance of Certification (MOC) Part IV, such as the American Board of Internal Medicine (ABIM) Approved Quality Improvement (AQI) Program, National Cardiovascular Data Registry (NCDR) Clinical Quality Coach, Quality Practice Initiative Certification Program, American Board of Medical Specialties Practice Improvement Module or American Society of Anesthesiologists (ASA) Simulation Education Network, for improving professional practice including participation in a local, regional or national outcomes registry or quality assessment program. Performance of monthly activities across practice to regularly assess performance in practice, by reviewing outcomes addressing identified areas for improvement and evaluating the results.	Medium	Participation in MOC Part IV including a local, regional, or national outcomes registry or quality assessment program and performance of monthly activities to assess and address practice performance	1) Documentation of participation in Maintenance of Certification (MOC) Part IV from an ABMS member board such as the American Board of Internal Medicine (ABIM) Approved Quality Improvement (AQI) Program, National Cardiovascular Data Registry (NCDR) Clinical Quality Coach, Quality Practice Initiative Certification Program, American Board of Medical Specialties Practice Improvement Module or American Society of Anesthesiologists (ASA) Simulation Education Network, including participation in a local, regional or national outcomes registry or quality assessment program; and Monthly Activities to Assess Performance - Documented performance of monthly activities across practice to assess performance in practice by reviewing outcomes, addressing areas of improvement, and evaluating the results		2017	Sub-IA-1: Performance Improvement Module (Performance Improvement in Practice or Practice Biopsy); Sub-IA-2: Use of the NCDR Clinical Quality Coach; Sub-IA-3: Quality Oncology Practice Initiative (QOPI) Sub-IA-4: Certification Program (QCP); Sub-IA-5: Quality Oncology Practice Initiative (QOPI) Certification Program (QCP)
A_PSPA_3	Patient Safety & Practice Assessment	Participate in IHI Training/Forum Event; National Academy of Medicine, AHRQ Team STEPPS® or other similar activity.	For MIPS eligible clinicians not participating in Maintenance of Certification (MOC) Part IV, new engagement for MOC Part IV, such as the Institute for Healthcare Improvement (IHI) Training/Forum Event; National Academy of Medicine, Agency for Healthcare Research and Quality (AHRQ) Team STEPPS®, or the American Board of Family Medicine (ABFM) Performance in Practice Modules.	Medium	Participate in IHI Training/Forum Event; National Academy of Medicine, AHRQ Team STEPPS® or other similar activity	Certificate or letter of participation from an IHI Training/Forum Event; National Academy of Medicine, AHRQ Team STEPPS®, or the American Board of Family Medicine (ABFM) Performance in Practice Modules, or other similar activity, for eligible clinicians or groups not participating in MOC Part IV		2017	Sub-IA-1: Institute protocols supporting AHRQ's Team STEPPS (Team Strategies and Enhance Performance and Patient Safety)
A_PSPA_4	Patient Safety & Practice Assessment	Administration of the AHRQ Survey of Patient Safety Culture	Administration of the AHRQ Survey of Patient Safety Culture and submission of data to the comparative database (refer to AHRQ Survey of Patient Safety Culture website http://www.ahrq.gov/professionals/quality-patient-safety/patientsafetyculture/index.html) Note: This activity may be selected once every 4 years, to avoid duplicative information given that some of the modules may change on a yearly basis but over 4 years there would be reasonable expectation for the set of modules to have undergone substantive change, for the improvement activities performance score.	Medium	Administration of the AHRQ survey of Patient Safety Culture and submission of data to the comparative database	Survey results from the AHRQ Survey of Patient Safety Culture, including proof of administration and submission Note: This activity may be selected once every 4 years, to avoid duplicative information given that some of the modules may change on a yearly basis but over 4 years there would be reasonable expectation for the set of modules to have undergone substantive change, for the improvement activities performance score.		2017	
A_PSPA_5	Patient Safety & Practice Assessment	Annual registration in the Prescription Drug Monitoring Program	Annual registration by eligible clinician or group in the prescription drug monitoring program of the state where they practice. Activities that simply involve registration are not sufficient. MIPS eligible clinicians and groups must participate for a minimum of 6 months.	Medium	Annual registration in the prescription drug monitoring program of the state and participation for a minimum of 6 months	1) Activation/Registration of an PDMP Account - Documentation evidencing activation/registration/continued participation in a PDMP account (e.g. an email), and Participation in PDMP - Evidence of participating in the PDMP, i.e., accessing/consulting (e.g. copies of patient reports created, with the PHI masked)		2017	
A_PSPA_6	Patient Safety & Practice Assessment	Consultation of the Prescription Drug Monitoring program	Clinicians would attest to reviewing the patients' history of controlled substance prescription using state prescription drug monitoring program (PDMP) data prior to the issuance of a Controlled Substance Schedule II (CSII) opioid prescription lasting longer than 3 days. For the transition year, clinicians would attest to 60 percent review of applicable patient's history. For the Quality Payment Program Year 2 and future years, clinicians would attest to 75 percent review of applicable patient's history performance.	High	Provision of consulting with PDMP before issuance of a controlled substance schedule II opioid prescription that lasts longer than 3 days	1) Number of Issuances of CSII Prescription - Total number of issuances of a CSII prescription that lasts longer than 3 days over the same time period as those consulted; and Documentation of Consulting the PDMP - Total number of patients for which there is evidence of consulting the PDMP prior to issuing an CSII prescription (e.g. copies of patient reports created, with the PHI masked)		2017	
A_PSPA_7	Patient Safety & Practice Assessment	Use of QCDR data for ongoing practice assessment and improvements	Use of QCDR data, for ongoing practice assessment and improvements in patient safety.	Medium	Use of QCDR data for ongoing practice assessment and improvements in patient safety. QCDR data should provide evidence of intended improvements in patient safety for specific targeted populations	Participation in QCDR that promotes ongoing improvements in patient safety, e.g., regular feedback reports provided by the QCDR that demonstrate ongoing practice assessment and improvements in patient safety. Documentation should note how the practice is using QCDR data, and intended improvements in patient safety for specific populations targeted.		2017	
A_PSPA_8	Patient Safety & Practice Assessment	Use of patient safety tools	Use of tools that assist specialty practices in tracking specific measures that are meaningful to their practice, such as use of a surgical risk calculator, evidenced based protocols such as Enhanced Recovery After Surgery (ERAS) protocols, the CDC Guide for Infection Prevention for Outpatient Settings, https://www.cdc.gov/na/settings/outpatient/outpatient-care_guidelines.html , predictive algorithms, or other such tools.	Medium	Use of tools by specialty practices in tracking specific meaningful patient safety and practice assessment measures	Documentation of the use of patient safety tools, e.g. surgical risk calculator, evidenced based protocols such as Enhanced Recovery After Surgery (ERAS) protocols, the CDC Guide for Infection Prevention for Outpatient Settings, or predictive algorithms, that assist specialty practices in tracking specific patient safety measures meaningful to their practice		2017	Sub-IA-1: Use of clinical assessment modalities and diagnostic screening tools in specialty medicine (e.g., WHO Fracture Risk Assessment (FRAX) Tool); Sub-IA-2: ACC Surviving MI; Sub-IA-3: ACP Practice Advisor / ACP Quality Connect; Sub-IA-4: Improving Patient Outcomes in RA: Disease Activity Measurement to Optimize Treating to Target; Sub-IA-5: Improving Informed Consent and Shared Decision-Making with Evidence-Based Risk Stratification Strategies; Sub-IA-6: AGA Clinical Guidelines Mobile App; Sub-IA-7: Participation in public health emergency disease outbreak control efforts. Sub-IA-8: Participation in voluntary surveillance activity; Sub-IA-9: Population Management Strategies within a Perioperative Surgical Home (PSH); Sub-IA-10: Use of AJA Symptom Index (AJA-SI) to increase patient engagement; Sub-IA-11: Leadership of Infection Prevention and Control Program; Sub-IA-12: Therapeutic drug monitoring or inflammatory bowel disease patients that are on anti-TNF therapies; Sub-IA-13: Deploying predictive analytical models to manage chronic disease in patients.
A_PSPA_9	Patient Safety & Practice Assessment	Completion of the AMA STEPS Forward program	Completion of the American Medical Association's STEPS Forward program.	Medium	Completion of AMA STEPS Forward program	1) Certificate of completion from at least one AMA STEPS Forward program module; and 2) Documentation of implementation from the module into the processes of care of your practice		2017	
A_PSPA_10	Patient Safety & Practice Assessment	Completion of training and receipt of approved waiver for provision of opioid medication-assisted treatments	Completion of training and obtaining an approved waiver for provision of medication -assisted treatment of opioid use disorders using buprenorphine.	Medium	Completion of training and obtaining approved waiver for provision of medication assisted treatment of opioid use disorders using buprenorphine	1) Waiver - SAMHSA letter confirming waiver and physician prescribing ID number; and Training - Certificate of completion of training to prescribe and dispense buprenorphine dated during the selected reporting period		2017	

A_PSPA_11	Patient Safety & Practice Assessment	Participation in CAHPS or other supplemental questionnaire	Participation in the Consumer Assessment of Healthcare Providers and Systems Survey or other supplemental questionnaire items (e.g., Cultural Competence or Health Information Technology supplemental item sets).	High	Participation in CAHPS or other supplemental questionnaire	1) CAHPS - CAHPS participation report; or Other Patient Supplemental Questionnaire Items - Other supplemental patient safety questionnaire items, e.g., cultural competence or health information technology item sets must be administered by a third-party administrator/vendor		2017	
A_PSPA_12	Patient Safety & Practice Assessment	Participation in private payer CPIA	Participation in designated private payer clinical practice improvement activities.	Medium	Participation in private payer clinical practice improvement activities	Documents showing participation in private payer clinical practice improvement activities (e.g., quality measure documentation or feedback reports, practice workflow redesign tools developed or with the payer as part of practice improvement)		2017	
A_PSPA_13	Patient Safety & Practice Assessment	Participation in Joint Commission Evaluation Initiative	Participation in Joint Commission Ongoing Professional Practice Evaluation initiative	Medium	Participation in Joint Commission Ongoing Professional Practice Evaluation initiative	Documentation from Joint Commission's Ongoing Professional Practice Evaluation initiative confirming participation in its improvement program(s)		2017	
A_PSPA_14	Patient Safety and Practice Assessment	Participation in Quality Improvement Initiatives	Participation in other quality improvement programs such as Bridges to Excellence or American Board of Medical Specialties (ABMS) Multi-Specialty Portfolio Program.	Medium	Participation in other quality improvement programs such as Bridges to Excellence or the American Board of Medical Specialties (ABMS) Multi-Specialty Portfolio Program	Documentation from Bridges to Excellence, American Board of Medical Specialties (ABMS) Multi-Specialty Portfolio Program, or other similar program confirming participation in its improvement program(s)		2017	Sub-IA-1: Quality Assurance and Performance Improvement
A_PSPA_15	Patient Safety and Practice Assessment	Implementation of Antimicrobial Stewardship Program (ASP)	Leadership of an Antimicrobial Stewardship Program (ASP) that measures the appropriate use of antibiotics for several different conditions (such as but not limited to upper respiratory infection treatment in children, diagnosis of pharyngitis, Bronchitis & treatment in adults) according to clinical guidelines for diagnostics and therapeutics. Specific activities may include: • Develop facility-specific antibiogram and prepare report of findings with specific action plan that aligns with overall facility or practice strategic plan. • Lead the development, implementation, and monitoring of patient care and patient safety protocols for the delivery of ASP including protocols pertaining to the most appropriate setting for such services (i.e., outpatient or inpatient). • Assist in improving ASP service line efficiency and effectiveness by evaluating and recommending improvements in the management structure and workflow of ASP processes. • Manage compliance of the ASP policies and assist with implementation of corrective actions in accordance with facility or practice compliance policies and facility or practice medical staff by-laws. • Lead the education and training of professional support staff for the purpose of maintaining an efficient and effective ASP. • Coordinate communications between ASP management and facility or practice personnel regarding activities, services, and operational/clinical protocols to achieve overall compliance and understanding of the ASP. • Assist, at the request of the facility or practice, in preparing for and responding to third-party requests, including but not limited to payer audits, governmental inquiries, and professional inquiries that pertain to the ASP service line. • Implementing and tracking an evidence-based policy or practice aimed at improving antibiotic prescribing practices for high-priority conditions. • Developing and implementing evidence-based protocols and decision-support for diagnosis and treatment of common infections • Implementing evidence-based protocols that align with recommendations in the Centers for Disease Control and Prevention's Core Elements of Outpatient Antibiotic Stewardship guidance	Medium	Leadership of an antibiotic stewardship program	Documentation of leadership of an antibiotic stewardship program that measures the appropriate use of antibiotics for several different conditions according to clinical guidelines for diagnostics and therapeutics and identifies improvement actions: 1.) Documentation of the report of findings and specific action plan; or 2.) Documentation of the development, implementation, and monitoring of patient care and safety protocols; or 3.) Documentation of the on-going evaluation and monitoring of the management structure and workflow of ASP processes; or 4.) Records of presentation of ASP education and training including curriculum and presentation dates; or 5.) Documentation of communications regarding ASP compliance; or 6.) Documentation of preparation of and/or participation in payer audits, government inquiries, or professional inquiries pertaining to the ASP; or 7.) Documentation of evidence-based policy or practice aimed at improving antibiotic prescribing practices for high-priority conditions; or 8.) Documentation of developing and implementing evidence-based protocols and decision-support for diagnosis and treatment of common infections; or 9.) Documentation of the alignment of evidence-based protocols with recommendations in the Centers for Disease Control and Prevention's Core Elements of Outpatient Antibiotic Stewardship guidance		2017	Sub-IA-1: Leadership of a Bio-Security, Bio-Preparedness, & Emerging Infectious Diseases (BBEID) Program; Sub-IA-2: Leadership of an Antimicrobial Stewardship Program; Sub-IA-3: Leadership of Outpatient Parenteral Antimicrobial Therapy Hospital Admission/Readmission Avoidance Program
A_PSPA_16	Patient Safety and Practice Assessment	Use of decision support and standardized treatment protocols	Use decision support and standardized treatment protocols to manage workflow in the team to meet patient needs.	Medium	Use of decision support and treatment protocols to manage workflow in the team to meet patient needs	Documentation (e.g. checklist, algorithm, screenshot) showing use of decision support and standardized treatment protocols to manage workflow in the team to meet patient needs Note: A certified EHR may be used for documentation purposes, but is not required unless the question for the Promoting Interoperability (formerly ACI) bonus.	Yes	2017	
A_PSPA_17	Patient Safety and Practice Assessment	Implementation of analytic capabilities to manage total cost of care for practice population	Build the analytic capability required to manage total cost of care for the practice population that could include one or more of the following: • Train appropriate staff on interpretation of cost and utilization information; and/or Use available data regularly to analyze opportunities to reduce cost through improved care.	Medium	Use of analytic capabilities to manage total cost of care for practice population	1) Staff Training - Documentation of staff training on interpretation of cost and utilization information (e.g. training certificate); or Cost/Resource Use Data - Availability of cost/resource use data for the practice population that is used regularly to analyze opportunities to reduce cost		2017	
A_PSPA_18	Patient Safety and Practice Assessment	Measurement and improvement at the practice and panel level	Measure and improve quality at the practice and panel level, such as the American Board of Orthopaedic Surgery (ABOS) Physician Scorecards, that could include one or more of the following: • Regularly review measures of quality, utilization, patient satisfaction and other measures that may be useful at the practice level and at the level of the care team or MIPS eligible clinician or group (panel); and/or Use relevant data sources to create benchmarks and goals for performance at the practice level and panel level.	Medium	Measure and improve quality at the practice and panel level. Practice and panel performance benchmarks and goals may also include benchmarks/goals for specific populations (for example, racial and ethnic minorities, individuals with disabilities, sexual and gender minorities, individuals in rural areas) to drive overall improvements, and individuals with certain chronic conditions or risk factors	1) Quality Improvement Program/Plan at Practice and Panel Level - Copy of a quality improvement program/plan or review of quality, utilization, patient satisfaction (surveys should be administered by a survey administrator/vendor) and other measures to improve one or more elements of this activity; or Review of and Progress on Measures - Report showing progress on selected measures, including benchmarks and goals for performance using relevant data sources at the practice and panel level		2017	Sub-IA-1: Diagnostic Imaging Center of Excellence (DICOE) designation; Sub-IA-2: Endoscopy Unit Recognition Program (EURP); Sub-IA-3: Simulation Education Courses approved by the ASA Simulation Education Network

A_PSPA_19	Patient Safety and Practice Assessment	Implementation of formal quality improvement methods, practice changes or other practice improvement processes	Adopt a formal model for quality improvement and create a culture in which all staff actively participates in improvement activities that could include one or more of the following such as: • Multi-Source Feedback; • Train all staff in quality improvement methods; • Integrate practice change/quality improvement into staff duties; • Engage all staff in identifying and testing practice changes; • Designate regular team meetings to review data and plan improvement cycles; • Promote transparency and accelerate improvement by sharing practice level and panel level quality of care, patient experience and utilization data with staff; and/or • Promote transparency and engage patients and families by sharing practice level quality of care, patient experience and utilization data with patients and families.	Medium	Implementation of a formal model for quality improvement and creation of a culture in which staff actively participates in one or more improvement activities	1) Adopt Formal Quality Improvement Model and Create Culture of Improvement - Documentation of adoption of a formal model for quality improvement and creation of a culture in which staff actively participate in improvement activities; and Staff Participation - Documentation of staff participation in one or more of the six identified; including, training, integration into staff duties, identifying and testing practice changes, regular team meetings to review data and plan improvement cycles, share practice and panel level quality of care, patient experience and utilization data with staff, or share practice level quality of care, patient experience and utilization data with patients and families	2017	Sub-IA-1: Peer Review (MSF-360)
A_PSPA_20	Patient Safety and Practice Assessment	Leadership engagement in regular guidance and demonstrated commitment for implementing practice improvement changes	Ensure full engagement of clinical and administrative leadership in practice improvement that could include one or more of the following: • Make responsibility for guidance of practice change a component of clinical and administrative leadership roles; • Allocate time for clinical and administrative leadership for practice improvement efforts, including participation in regular team meetings; and/or Incorporate population health, quality and patient experience metrics in regular reviews of practice performance.	Medium	Functionality of leadership engagement in regular guidance and demonstrates commitment for implementing improvements	1) Clinical and Administrative Leadership Role Descriptions - Documentation of clinical and administrative leadership role descriptions include responsibility for practice improvement change (e.g. position description); or; 2) Time for Leadership in Improvement Activities - Documentation of allocated time for clinical and administrative leadership participating in improvement efforts, e.g. regular team meeting agendas and post meeting summary; or; Population Health, Quality, and Health Experience Incorporated into Performance Reviews - Documentation of population health, quality and health experience metrics incorporated into regular practice performance reviews, e.g. reports, agendas, analytics, meeting notes	2017	
A_PSPA_21	Patient Safety and Practice Assessment	Implementation of fall screening and assessment programs	Implementation of fall screening and assessment programs to identify patients at risk for falls and address modifiable risk factors (e.g., Clinical decision support/prompts in the electronic health record that help manage the use of medications, such as benzodiazepines, that increase fall risk).	Medium	Functionality of fall screening and assessment programs	1) Implementation of a Falls Screening and Assessment Program - Implementation of a falls screening and assessment program that uses valid and reliable tools to identify patients at risk for falls and address modifiable risk factors, for example, the STEADI program for identification of falls risk; and Implementation Progress- Documentation of progress made on falls screening and assessment after implementation of tool	2017	
A_PSPA_22	Patient Safety and Practice Assessment	CDC Training on CDC's Guideline for Prescribing Opioids for Chronic Pain	Completion of all the modules of the Centers for Disease Control and Prevention (CDC) course "Applying CDC's Guideline for Prescribing Opioids" that reviews the 2016 "Guideline for Prescribing Opioids for Chronic Pain." Note: This activity may be selected once every 4 years, to avoid duplicative information given that some of the modules may change on a year by year basis but over 4 years there would be a reasonable expectation for the set of modules to have undergone substantive change, for the improvement activities performance category score.	High	Completion with a passing score of all the modules of the Centers for Disease Control and Prevention (CDC) course "Applying CDC's Guideline for Prescribing Opioids" that reviews the 2016 "Guideline for Prescribing Opioids for Chronic Pain"	Documented participation in and completion of all Centers for Disease Control and Prevention (CDC) course "Applying CDC's Guideline for Prescribing Opioids" that reviews the 2016 "Guideline for Prescribing Opioids for Chronic Pain." NOTE: The CDC continues to develop additional training modules. With this in mind, all modules available at the stated start date of the eligible clinician or group's attestation period must be completed in order to attest to this IA.	2018	Sub-IA-1: Implementation of an opioid stewardship program
A_PSPA_23	Patient Safety and Practice Assessment	Completion of CDC Training on Antibiotic Stewardship	Completion of all modules of the Centers for Disease Control and Prevention antibiotic stewardship course. Note: This activity may be selected once every 4 years, to avoid duplicative information given that some of the modules may change on a year by year basis but over 4 years there would be a reasonable expectation for the set of modules to have undergone substantive change, for the improvement activities performance category score.	High	Completion with a passing score of all modules of the Centers for Disease Control and Prevention antibiotic stewardship course. NOTE: Eligible clinicians and groups cannot attest to both IA_PSPA_23 and IA_PSPA_24 for the same QPP Year.	Documented participation in and completion of all modules of the Centers for Disease Control and Prevention antibiotic stewardship course. Find course at https://www.train.org/cdctrain/course/1075730:compilation NOTE: Eligible clinicians and groups cannot attest to both IA_PSPA_23 and IA_PSPA_24 for the same QPP Year.	2018	
A_PSPA_24	Patient Safety and Practice Assessment	Initiate CDC Training on Antibiotic Stewardship	Completion of greater than 50 percent of the modules of the Centers for Disease Control and Prevention antibiotic stewardship course. Note: This activity may be selected once every 4 years, to avoid duplicative information given that some of the modules may change on a year by year basis, but over 4 years there would be a reasonable expectation for the set of modules to have undergone substantive change, for the improvement activities performance category score.	Medium	Completion of greater than 50 percent of the modules of the Centers for Disease Control and Prevention antibiotic stewardship course. NOTE: Eligible clinicians and groups cannot attest to both IA_PSPA_23 and IA_PSPA_24 for the same QPP Year.	Documented participation in and completion of greater than 50 percent of the modules of the Centers for Disease Control and Prevention antibiotic stewardship course. Find course at https://www.train.org/cdctrain/course/1075730:compilation NOTE: Eligible clinicians and groups cannot attest to both IA_PSPA_23 and IA_PSPA_24 for the same QPP Year.	2018	
A_PSPA_25	Patient Safety and Practice Assessment	Cost Display for Laboratory and Radiographic Orders	Implementation of a cost display for laboratory and radiographic orders, such as costs that can be obtained through the Medicare clinical laboratory fee schedule.	Medium	Demonstration of transparency of costs at the point-of-order for ordering providers for laboratory and/or radiographic orders	Documentation (screen shot, report from EHR, written display procedure) of laboratory and radiographic costs at the point-of-order. Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2018
A_PSPA_26	Patient Safety and Practice Assessment	Communication of Unscheduled Visit for Adverse Drug Event and Nature of Event	A MIPS eligible clinician providing unscheduled care (such as an emergency room, urgent care, or other unplanned encounter) attests that, for greater than 75 percent of case visits that result from a clinically significant adverse drug event, the MIPS eligible clinician provides information, including through the use of health IT to the patient's primary care clinician regarding both the unscheduled visit and the nature of the adverse drug event within 48 hours. A clinically significant adverse event is defined as a medication-related harm or injury such as side-effects, supratherapeutic effects, allergic reactions, laboratory abnormalities, or medication errors requiring urgent/emergent evaluation, treatment, or hospitalization.	Medium	Demonstration of communication from the eligible clinician/group providing unscheduled care for a clinically significant adverse drug event to the patient's primary care provider	1.) Documentation of an unscheduled clinically significant adverse event, defined as a medication- related harm or injury such as side-effects, supratherapeutic effects, allergic reactions, laboratory abnormalities, or medication errors requiring urgent/emergent evaluation, treatment, or hospitalization. 2.) Documentation of communication of the event to the patient's primary care clinician within 48 hours of the unscheduled event Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2018
A_PSPA_27			For an anticoagulated patient undergoing a planned invasive procedure for which interruption in anticoagulation is anticipated, including patients taking vitamin K antagonists (warfarin), target specific oral anticoagulants (such as apixaban, dabigatran, and rivaroxaban), and heparins/low molecular weight heparins, documentation, including through the use of electronic tools, that the plan for anticoagulation management in the periprocedural period was discussed with the patient and with the clinician responsible for managing the patient's anticoagulation. Elements of the plan should include the following: discontinuation, resumption, and, if applicable, bridging, laboratory monitoring, and management of concomitant antithrombotic medications (such as antiplatelets and nonsteroidal anti-inflammatory	Medium	Implementation of a process to treat an anticoagulated patient undergoing a planned invasive procedure for which interruption in anticoagulation is anticipated, e.g. including	1.) Documentation of a process to target specific oral anticoagulants (such as apixaban, dabigatran, and rivaroxaban), and heparins/low molecular weight heparins, including through the use of electronic tools, that the plan for anticoagulation management in the periprocedural period was discussed with the patient and with the clinician responsible for managing the patient's anticoagulation; and		2018

	Patient Safety and Practice Assessment	Invasive Procedure or Surgery Anticoagulation Medication Management	Drugs (NSAIDs). An invasive or surgical procedure is defined as a procedure in which skin or mucous membranes and connective tissue are incised, or an instrument is introduced through a natural body orifice.		patients taking vitamin K antagonists (warfarin)	2) The plan should include the following: discontinuation, resumption, and, if applicable, bridging, laboratory monitoring, and management of concomitant antithrombotic medications such as antiplatelets and nonsteroidal anti-inflammatory drugs (NSAIDs). Note: an invasive or surgical procedure is defined as a procedure in which skin or mucous membranes and connective tissue are incised, or an instrument is introduced through a natural body orifice.			
A_PSPA_28	Patient Safety and Practice Assessment	Completion of an Accredited Safety or Quality Improvement Program	Completion of an accredited performance improvement continuing medical education program that addresses performance or quality improvement according to the following criteria: • The activity must address a quality or safety gap that is supported by a needs assessment or problem analysis, or must support the completion of such a needs assessment as part of the activity; • The activity must have specific, measurable aim(s) for improvement; • The activity must include interventions intended to result in improvement; The activity must include data collection and analysis of performance data to assess the impact of the interventions; and The accredited program must define meaningful clinician participation in their activity, describe the mechanism for identifying clinicians who meet the requirements and provide participant completion information.	Medium	Completion of an accredited performance improvement continuing medical education program that addresses performance or quality improvement	Documentation that the activity addresses a quality or safety gap that is supported by a needs assessment or problem analysis, or must support the completion of such a needs assessment as part of the activity; • The activity must have specific, measurable aim(s) for improvement; • The activity must include interventions intended to result in improvement; • The activity must include data collection and analysis of performance data to assess the impact of the interventions; and The accredited program must define meaningful clinician participation in their activity, describe the mechanism for identifying clinicians who meet the requirements and provide participant completion information.		2018	Sub-IA-1: Asthma IQ: Patient Management and Outcomes; Sub-IA-2: Asthma IQ: Patient Assessment; Sub-IA-3: PI Pro: Food Allergy; Sub-IA-4: Participation in Accredited Continuing Medical Education; Sub-IA-5: Accredited Continuing Medical Education (CME); Sub-IA-6: Simulation to develop technical and procedural skills; Sub-IA-7: Completion of a Performance Improvement Module; Sub-IA-8: Self-Directed Practice Improvement Module (SD-PIM); Sub-IA-9: Micrographic Surgery & Dermatology; Oncology (Mohs) Fellowship Program; Sub-IA-10: CME - Participation in continuing medical education (CME); Sub-IA-11: Voluntary Surveillance - Participation in voluntary surveillance activity; Sub-IA-12: Program of continuing medical education or continuing nurse education activities; Sub-IA-13: Participation in Accredited Continuing Medical Education; Sub-IA-14: ASGE Skills Training Assessment Reinforcement (STAR) Certificate Program; Sub-IA-15: The ASCO Quality Training Program; Sub-IA-16: Teaching students, residents, and allied health professionals in accredited programs; Sub-IA-17: Principles of Quality Improvement Continuing Medical Education; Sub-IA-18: Principles of Quality Improvement Continuing Medical Education; Sub-IA-19: Strengthening Systems and Team-Based Quality of Care in Bladder Cancer; Sub-IA-20: Tackling Community Level Diabetes: Overcoming Local Challenges to Patient Health; Sub-IA-21: Engaging Patient and Stakeholder Partners: Guidance from the PCORI Engagement Rubric.
A_PSPA_29	Patient Safety and Practice Assessment	Consulting Appropriate Use Criteria (AUC) Using Clinical Decision Support when Ordering Advanced Diagnostic Imaging	Clinicians attest that they are consulting specified applicable AUC through a qualified clinical decision support mechanism for all applicable imaging services furnished in an applicable setting, paid for under an applicable payment system, and ordered on or after January 1, 2018. This activity is for clinicians that are early adopters of the Medicare AUC program (2018 performance year) and for clinicians that begin the Medicare AUC program in future years as specified in our regulation at §414.94. The AUC program is required under section 219 of the Protecting Access to Medicare Act of 2014. Qualified mechanisms will be able to provide a report to the ordering clinician that can be used to assess patterns of image-ordering and improve upon those patterns to ensure that patients are receiving the most appropriate for their individual condition.	High	Documentation of attestation and consultation of specified applicable AUC through a qualified clinical decision support mechanism	Documentation of consulting specified applicable appropriate use criteria (AUC) through a qualified clinical decision support mechanism for all applicable imaging services furnished in an applicable setting, paid for under an applicable payment system, and ordered on or after January 1, 2018: • Evidence of early adoption of the Medicare AUC program (PY2018 Performance Year); or • Copies of reports (paper copy, screen shots, etc.) to the ordering clinician that can be used to assess patterns of image-ordering and improve upon those patterns to ensure that patients are receiving the most appropriate imaging for their individual condition. Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2018	
A_PSPA_30	Patient Safety and Practice Assessment	PCI Bleeding Campaign	Participation in the PCI Bleeding Campaign which is a national quality improvement program that provides infrastructure for a learning network and offers evidence-based resources and tools to reduce avoidable bleeding associated with patients who receive a percutaneous coronary intervention (PCI). The program uses a patient-centered and team-based approach, leveraging evidence-based best practices to improve care for PCI patients by implementing quality improvement strategies: • Radial-artery access; • Bivalirudin, and Use of vascular closure devices.	High	Documented participation in the PCI Bleeding Campaign which is a national quality improvement program that provides infrastructure for a learning network and offers evidence-based resources and tools to reduce avoidable bleeding associated with patients who receive a percutaneous coronary intervention (PCI)	3) Documentation of participation in the PCI Bleeding Campaign		2018	
A_AHE_1	Achieving Health Equity	Engagement of new Medicaid patients and follow-up	Seeing new and follow-up Medicaid patients in a timely manner, including individuals dually eligible for Medicaid and Medicare. A timely manner is defined as within 10 business days for this activity.	High	Functionality of practice in seeing new and follow-up Medicaid patients in a timely manner including patients dually eligible. "Engaging" patients may include, but is not limited to: • Establishing patient-provider relationship, assisting patient with care management plan, medication management and reconciliation, use of patient portal, use of community health worker or other provider(s) to help patients navigate health care services.	1) Timely Appointments for Medicaid and Dually Eligible Medicaid/Medicare Patients - Statistics from EHR or scheduling system (may be manual) on time from request for appointment to first appointment offered or appointment made by type of visit for Medicaid and dual eligible patients; and Improvement Activities - Assessment of new and follow-up visit appointment statistics and other patient-level data to identify and implement improvement activities. Documentation should include planned and in-progress improvement activities and intended aims.		2017	
A_AHE_2	Achieving Health Equity	Leveraging a QCDR to standardize processes for screening	Participation in a QCDR, demonstrating performance of activities for use of standardized processes for screening for social determinants of health such as food security, employment and housing. Use of supporting tools that can be incorporated into the certified EHR technology is also suggested.	Medium	Participation in a QCDR and demonstrated performance of activities for use of standardized processes for screening for social determinants of health including use of supporting tools into certified EHR technology	1) QCDR for Standardizing Screening Processes - Participation in QCDR for standardizing screening processes for social determinants, e.g., regular feedback reports from QCDR showing screening practices for social determinants; and Integration of Tools into certified EHR - Integration of one or more of the following tools into practice as part of the EHR, e.g., http://www.cdc.gov/socialdeterminants/tools/index.htm showing regular referral to one or more of these tools	Yes	2017	
A_AHE_3	Achieving Health Equity	Promote use of Patient-Reported Outcome Tools		High	Participation in a QCDR and demonstrated performance of activities to promote use of	Participation in QCDR, for use of patient-reported outcome tools, e.g., regular QCDR feedback reports demonstrating use of patient-reported outcome tools and corresponding collection of PRO data, e.g., use of PHQ-2 or PHQ-9 and PROMIS instruments	Yes	2017	

			Demonstrate performance of activities for employing patient-reported outcome (PRO) tools and corresponding collection of PRO data such as the use of PHQ-2 or PHQ-9, PROMIS instruments, patient reported Wound-Quality of Life (QoL), patient reported Wound Outcome, and patient reported Nutritional Screening.		patient-report outcome tools and corresponding collection of PRO data	Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.			
A_AHE_4	Achieving Health Equity	Leveraging a QCDR for use of standard questionnaires	Participation in a QCDR, demonstrating performance of activities for use of standard questionnaires for assessing improvements in health disparities related to functional health status (e.g., use of Seattle Angina Questionnaire, MD Anderson Symptom Inventory, and/or SF-12/VR-12 functional health status assessment).	Medium	Participation in a QCDR and demonstrated performance of activities for use of standard questionnaires for assessing improvements in health disparities related to functional health status	Participation in QCDR, to use of standard questionnaires for assessing improvements in health disparities, e.g., regular feedback reports from QCDR, demonstrating performance of activities for using standard questionnaires for assessing improvements in health disparities related to functional health status		2017	
A_AHE_5	Achieving Health Equity	MIPS Eligible Clinician Leadership in Clinical Trials or CBPR	MIPS eligible clinician leadership in clinical trials, research alliances or community-based participatory research (CBPR) that identify tools, research or processes that can focus on minimizing disparities in healthcare access, care quality, affordability, or outcomes.	Medium	Participation in clinical trials, research alliances or community-based participatory research (CBPR), documentation of research aims and results	1) Documentation of participation by clinician leadership in clinical trials, research alliances or community-based participatory research (CBPR) to identify tools, research or processes focused on minimizing disparities in healthcare access, care quality, affordability, or outcomes; and Documentation of intended or actual aims and outcomes		2018	
A_AHE_6	Achieving Health Equity	Provide Education Opportunities for New Clinicians	MIPS eligible clinicians acting as a preceptor for clinicians-in-training (such as medical residents/fellows, medical students, physician assistants, nurse practitioners, or clinical nurse specialists) and accepting such clinicians for clinical rotations in community practices in small, underserved, or rural areas.	High	Participation as a preceptor for clinicians-in-training that encourage clinical rotations in community practices in small underserved, or rural areas	Documentation of participation as a preceptor for clinicians-in-training that encourages clinical rotations in community practices in small underserved, or rural areas. Examples of eligible clinicians anticipated to serve as a preceptor would include: medical residents/fellows, medical students, physician assistants, nurse practitioners, or clinical nurse specialists.		2018	
A_ERP_1	Emergency Response & Preparedness	Participation on Disaster Medical Assistance Team, registered for 6 months.	Participation in Disaster Medical Assistance Teams, or Community Emergency Responder Teams. Activities that simply involve registration are not sufficient. MIPS eligible clinicians and MIPS eligible clinician groups must be registered for a minimum of 6 months as a volunteer for disaster or emergency response.	Medium	Participation in Disaster Medical Assistance Team or Community Emergency Responder Team for at least 6 months as a volunteer	Documentation of participation in Disaster Medical Assistance or Community Emergency Responder Teams for at least 6 months including registration and active participation, e.g., attendance at training, on-site participation, etc.		2017	
A_ERP_2	Emergency Response & Preparedness	Participation in a 60-day or greater effort to support domestic or international humanitarian needs.	Participation in domestic or international humanitarian volunteer work. Activities that simply involve registration are not sufficient. MIPS eligible clinicians and groups attest to domestic or international humanitarian volunteer work for a period of a continuous 60 days or greater.	High	Participation in domestic or international humanitarian volunteer work of at least a continuous 60 days' duration	Documentation of participation in domestic or international humanitarian volunteer work of at least a continuous 60 days' duration including registration and active participation, e.g., identification of location of volunteer work, timeframe, and confirmation from humanitarian organization		2017	
A_BMH_1	Behavioral and Mental Health	Diabetes screening	Diabetes screening for people with schizophrenia or bipolar disease who are using antipsychotic medication.	Medium	Performance of diabetes screening for patients with schizophrenia or bipolar disease who are using antipsychotic medication	Report from EHR, documentation from medical charts, or claims showing regular practice for diabetes screening of patients with schizophrenia or bipolar disease who are using antipsychotic medications		2017	
A_BMH_2	Behavioral and Mental Health	Tobacco use	Tobacco use: Regular engagement of MIPS eligible clinicians or groups in integrated prevention and treatment interventions, including tobacco use screening and cessation interventions (refer to NQF #0028) for patients with co-occurring conditions of behavioral or mental health and at risk factors for tobacco dependence.	Medium	Performance of regular engagement in integrated prevention and treatment interventions including tobacco use screening and cessation interventions for patients with co-conditions of behavioral or mental health and at risk factors for tobacco dependence	Report from EHR, QCDR, clinical registry or documentation from medical charts showing regular practice of tobacco screening for patients with co-occurring conditions of behavioral or mental health and at risk factors for tobacco dependence		2017	
A_BMH_3	Behavioral and Mental Health	Unhealthy alcohol use	Unhealthy alcohol use: Regular engagement of MIPS eligible clinicians or groups in integrated prevention and treatment interventions, including screening and brief counseling (refer to NQF #2152) for patients with co-occurring conditions of behavioral or mental health conditions.	Medium	Performance of regular engagement in integrated prevention and treatment interventions for patients with co-occurring conditions of behavioral or mental health and at risk factors for unhealthy alcohol use	Report from EHR, QCDR, clinical registry or documentation from medical charts showing regular practice for unhealthy alcohol use screening for patients with co-occurring conditions of behavioral or mental health conditions.		2017	
A_BMH_4	Behavioral and Mental Health	Depression screening	Depression screening and follow-up plan: Regular engagement of MIPS eligible clinicians or groups in integrated prevention and treatment interventions, including depression screening and follow-up plan (refer to NQF #0418) for patients with co-occurring conditions of behavioral or mental health conditions.	Medium	Performance of regular engagement in integrated prevention and treatment interventions including depression screening and follow-up plan for patients with co-conditions of behavioral or mental health	Report from EHR, QCDR, clinical registry or documentation from medical charts showing regular practice for depression screening and follow-up plan for these patients with co-conditions of behavioral or mental health		2017	
A_BMH_5	Behavioral and Mental Health	MDI prevention and treatment interventions	Major depressive disorder: Regular engagement of MIPS eligible clinicians or groups in integrated prevention and treatment interventions, including suicide risk assessment (refer to NQF #0104) for mental health patients with co-occurring conditions of behavioral or mental health conditions.	Medium	Performance of regular engagement in integrated prevention and treatment interventions including suicide risk assessment for mental health patients with co-conditions of behavioral or mental health	Report from EHR, QCDR, clinical registry or documentation from medical charts showing regular practice for screening including suicide risk assessment for mental health patients with co-occurring conditions of behavioral or mental health conditions		2017	
A_BMH_6	Behavioral and Mental Health	Implementation of co-location PCP and MH services	Integration facilitation, and promotion of the colocation of mental health and substance use disorder services in primary and/or non-primary clinical care settings.	High	Integration of facilitation and promotion of mental health and substance use disorder services in primary and/or non-primary clinical care settings	Documentation of integration and promotion of the colocation of mental health and substance use disorder services in primary and/or non-primary clinical care settings, e.g., list of NPIs that participate as behavioral health specialists, mental health clinicians or primary care clinicians in co-located setting or patient claims showing mental health and substance use disorder services collocated in primary and/or non-primary clinical care settings		2017	
A_BMH_7	Behavioral and Mental Health	Implementation of integrated PCBH model	Offer integrated behavioral health services to support patients with behavioral health needs who also have conditions such as dementia, or other poorly controlled chronic illnesses. The services could include one or more of the following: • Use evidence-based treatment protocols and treatment to goal where appropriate; • Use evidence-based screening and case finding strategies to identify individuals at risk and in need of services; • Ensure regular communication and coordinated workflows between MIPS eligible clinicians in primary care and behavioral health; • Conduct regular case reviews for at-risk or unstable patients and those who are not responding to treatment; • Use of a registry or certified health information technology functionality to support active care management and outreach to patients in treatment; and/or • Integrate behavioral health and medical care plans and facilitate integration through co-location of services when feasible. • Participate in the National Partnership to Improve Dementia Care Initiative, which promotes a multidimensional	High	Provision of integrated behavioral health services to support patients with behavioral health needs and poorly controlled chronic conditions (May use certified EHR, QCDR, clinical registry or medical records)	Documented integration of behavioral health services with primary care to support patients with behavioral health needs, dementia, and poorly controlled chronic conditions program and services including one or more of the six activities described in the activity description. Documentation could include EHR note that shows that the patient saw a BH professional and communicated with PCP or practice team; referral to BH; or staffing or BH co located in primary care practice. Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2017	Sub-IA-1: Improving Dementia Care Initiative; Sub-IA-2: Comprehensive Obesity Prevention and Intervention Program; Sub-IA-3: National Partnership to Improve Dementia Care in Nursing Homes

			approach that includes public reporting, state-based coalitions, research, and revised surveyor guidance.					
A_BMH_8	Behavioral and Mental Health	Electronic Health Record Enhancements for BH data capture	Enhancements to an electronic health record to capture additional data on behavioral health (BH) populations and use that data for additional decision-making purposes (e.g., capture of additional BH data results in additional depression screening for at-risk patient not previously identified).	Medium	Use of EHR to capture additional data on behavioral health populations and use data for additional decision-making	Screen shots from certified EHR or from other software/tools integrated with the certified EHR and reports showing how additional behavioral health data is captured and used for additional decision-making Note: A certified EHR may be used for documentation purposes, but is not required unless attesting for the Promoting Interoperability (formerly ACI) bonus.	Yes	2017
A_BMH_9	Behavioral and Mental Health	Unhealthy Alcohol Use for Patients with Co-occurring Conditions of Mental Health and Substance Abuse and Ambulatory Care Patients	Individual MIPS eligible clinicians or groups must regularly engage in integrated prevention and treatment interventions, including screening and brief counseling (for example: NQF #2152) for patients with co-occurring conditions of mental health and substance abuse. MIPS eligible clinicians would attest that 60 percent for the CY 2018 Quality Payment Program performance period, and 75 percent beginning in the 2019 performance period, of their ambulatory care patients are screened for unhealthy alcohol use.	High	Demonstration by MIPS eligible clinicians and groups that integrated prevention and treatment interventions with documented screening and brief counseling occurred on a regular basis. Documentation of referral or feedback/acknowledgment from referred provider	Screen shots from certified EHR or from other software/tools demonstrating integrated prevention and treatment interventions (i.e., evidence of screening and brief counseling for patient with co-occurring conditions of mental health and substance abuse). For the intent of this IA, co-occurring conditions are defined as the diagnosed coexistence of both a mental health and a substance use disorder.		
A_PCMH	N/A	Implementation of Patient-Centered Medical Home model	Implementation of the patient-centered medical home model to continually improve comprehensive care coordination and accessibility within the primary care setting. This may include implementing a wide range of practice and patient focused standards that pertain to the care coordination, patient-centeredness, comprehensiveness of care, systems based on safety and quality, among others.		Performance of standards and expectation that pertain to the patient-centered medical home model	1) Documented implementation of patient-centered medical home activities and improvements that pertain to care coordination, patient-centeredness, or comprehensiveness of care, among others; and 2) Documented recognition as a patient-centered medical home from a regional or state program, private payer or other body that certifies at least 500 or more practices for patient-centered medical home accreditation or comparable specialty practice certification; and 3) Documentation of continual improvements.	2017	NOTE: A practice is certified or recognized as a patient-centered medical home if it meets any of the following criteria: (A) The practice has received accreditation from one of five accreditation organizations that are nationally recognized: (1) The Accreditation Association for Ambulatory Health Care; (2) The National Committee for Quality Assurance (NCQA); (3) The Joint Commission; (4) The Utilization Review Accreditation Commission (URAC); or (5) The Compliance Team (TCT) . (B) The practice is participating in a Medicaid Medical Home Model or Medical Home Model. (C) The practice is a comparable specialty practice that has received the NCQA Patient-Centered Specialty Recognition. (D) The practice has received certification or accreditation from other certifying bodies that have certified a large number of medical organizations and meet national guidelines, as determined by the Secretary. The Secretary must determine that these certifying bodies must have 500 or more certified member practices, and require practices to include the following: (1) Have a personal physician/clinician in a team-based practice. (2) Have a whole-person orientation. (3) Provide coordination or integrated care. (4) Focus on quality and safety. (5) Provide enhanced access.