

Quality ID #047 (CBE 0326): Advance Care Plan

2026 COLLECTION TYPE:

MERIT-BASED INCENTIVE PAYMENT SYSTEM (MIPS) MEDICARE PART B CLAIMS

MEASURE TYPE:

Process – High Priority

DESCRIPTION:

Percentage of patients aged 65 years and older who have an advance care plan or surrogate decision maker documented in the medical record or documentation in the medical record that an advance care plan was discussed but the patient did not wish or was not able to name a surrogate decision maker or provide an advance care plan.

INSTRUCTIONS:

Reporting Frequency:

This measure is to be submitted a minimum of **once per performance period** for denominator eligible cases as defined in the denominator criteria.

Intent and Clinical Applicability:

This measure is intended to reflect the quality of services provided for patients aged 65 years and older who have an advance care plan or surrogate decision maker documented in the medical record or documentation in the medical record that an advance care plan was discussed. There is no diagnosis associated with this measure. This measure may be submitted by Merit-based Incentive Payment System (MIPS) eligible clinicians who perform the quality actions as defined by the numerator based on the services provided and the measure-specific denominator coding.

This measure is appropriate for use in all healthcare settings (e.g., inpatient, nursing home, ambulatory) except the emergency department. For each of these settings, there should be documentation in the medical record(s) that advance care planning was discussed or documented.

Measure Strata and Performance Rates:

This measure contains one strata defined by a single submission criteria.

This measure produces a single performance rate.

Implementation Considerations:

For the purposes of MIPS implementation, this patient-process measure is submitted a minimum of once per patient for the performance period. The most advantageous quality data code (QDC) will be used if the measure is submitted more than once.

Telehealth:

TELEHEALTH ELIGIBLE: This measure is appropriate for and applicable to the telehealth setting. Patient encounters conducted via telehealth using encounter code(s) found in the denominator encounter criteria are allowed for this measure. Therefore, if the patient meets all denominator criteria for a telehealth encounter, it would be appropriate to include them in the denominator eligible patient population. Telehealth eligibility is at the measure level for inclusion within the denominator eligible patient population and based on the measure specification definitions which are independent of changes to coding and/or billing practices.

Measure Submission:

Measure data may be submitted by individual MIPS eligible clinicians using Medicare Part B claims. The listed denominator criteria are used to identify the intended patient population. The numerator quality data codes included in this specification are used to submit the quality actions allowed by the measure on the claim form(s). All measure-specific coding should be submitted on the claim(s) representing the denominator eligible encounter and denominator exclusion(s).

(as applicable) or selected numerator option. Denominator exclusions describe a circumstance where the patient should be removed from the denominator. Within Medicare Part B claims submissions, denominator exclusions identify circumstances where the patient should be removed from the performance rate calculation prior to determining which numerator outcome is appropriate. QDCs are available to describe the denominator exclusion within the Measure Specification and should be submitted on the claim.

DENOMINATOR:

All patients aged 65 years and older.

DENOMINATOR NOTE:

MIPS eligible clinicians indicating the Place of Service as the emergency department will not be included in this measure.

**Signifies that this CPT Category I code is a non-covered service under the Physician Fee Schedule (PFS). These non-covered services will not be counted in the denominator population for Medicare Part B claims measures.*

Denominator Criteria (Eligible Cases):

Patients aged ≥ 65 years on date of encounter

AND

Patient encounter during the performance period (CPT or HCPCS): 90791, 90792, 90832, 90834, 90837, 90839, 90845, 90846, 90847, 96116, 96130, 96132, 96110*, 96112, 96156, 96105, 96125, 98000, 98001, 98002, 98003, 98004, 98005, 98006, 98007, 98008, 98009, 98010, 98011, 98012, 98013, 98014, 98015, 98016, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99221, 99222, 99223, 99231, 99232, 99233, 99234, 99235, 99236, 99291, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, G0402, G0438, G0439

WITHOUT

Place of Service (POS): 23

AND NOT

DENOMINATOR EXCLUSION:

Patient receiving Hospice Services, Patient Not Eligible

Hospice services received by patient any time during the measurement period: G9692

NUMERATOR:

Patients who have an advance care plan or surrogate decision maker documented in the medical record or documentation in the medical record that an advance care plan was discussed but patient did not wish or was not able to name a surrogate decision maker or provide an advance care plan.

Definition:

Documentation that Patient did not Wish or was not able to Name a Surrogate Decision Maker or Provide an Advance Care Plan – May also include, as appropriate, the following:

That the patient's cultural and/or spiritual beliefs preclude a discussion of advance care planning, as it would be viewed as harmful to the patient's beliefs and thus harmful to the physician-patient relationship.

Numerator Instructions:

If patient's cultural and/or spiritual beliefs preclude a discussion of advance care planning, submit 1124F.

NUMERATOR NOTE:

The CPT Category II codes used for this measure indicate: Advance Care Planning was discussed and documented. The act of using the Category II codes on a claim indicates the provider confirmed that the Advance Care Plan was in the medical record (that is, at the point in time the code was assigned, the Advance Care Plan in the medical record was valid) or that advance care planning was discussed. The codes are required annually to ensure that the provider either confirms annually that the plan in the medical record is still appropriate or starts a new discussion.

The provider does not need to review the Advance Care Plan annually with the patient to meet the numerator criteria; documentation of a previously developed advanced care plan that is still valid in the medical record meets numerator criteria.

*Services typically provided under CPT codes 99497 and 99483 satisfy the requirement of Advance Care Planning discussed and documented, minutes. If a patient received these types of services, submit CPT II **1123F** or **1124F**.*

Numerator Quality Data Coding Options:

Advance Care Planning Discussed and Documented

Performance Met: CPT II 1123F:

Advance Care Planning discussed and documented;
advance care plan or surrogate decision maker documented
in the medical record

OR

Performance Met: CPT II 1124F:

Advance Care Planning discussed and documented in the
medical record; patient did not wish or was not able to name
a surrogate decision maker or provide an advance care plan

OR

Advance Care Planning not Documented, Reason not Otherwise Specified

Append a submission modifier (8P) to CPT Category II code 1123F to submit circumstances when the action described in the numerator is not performed and the reason is not otherwise specified.

Performance Not Met: 1123F with 8P:

Advance Care Planning not documented, reason not
otherwise specified

RATIONALE:

Advance care planning is a continuous process of conversation and documentation to align a patient's care and interventions with their beliefs, values and preferences, in the event they become unable to make those decisions. The Centers for Medicare & Medicaid Services (CMS) describe advance care planning as a face-to-face service to discuss a patient's health wishes that may or may not include completing relevant documentation (Centers for Medicare & Medicaid Services (CMS), 2019)

A number of documents may be completed as a result of the advance care planning conversation in order to capture a patient's wishes and goals for care. These documents are generally referred to as "advance directives" and can include: Durable Power of Attorney for Health Care (DPAHC), living will, and combined directives. In addition to these documents, a patient may have a Physician Orders for Life-Sustaining Treatment (POLST), also referred to as Medical Orders for Scope of Treatment (MOLST). A patient may also identify a surrogate decision maker to serve as their representative and decision maker in the event they cannot make decisions for themselves (Silveira, Arnold, & Givens, 2020).

Although it is widely agreed that advance care planning is a critical part of patient care, only about 50% of older adults have engaged in advance care planning. Of those older adults, about one-third have documented their wishes and only 10%–20% discussed their wishes with clinicians (Yadav, et al., 2017); (McMahan, Tellez, & Sudore, 2021). A 2017 study found that 70% of providers indicated they only have advance care planning conversations with their patients experiencing advanced illness (Bires, Franklin, Nichols, & Cagle, 2018). The benefits of advance care planning may only be realized if the care team has access to and follows the patient's advance care plan.

Advance care planning can lead to decreased psychological distress and hospitalizations as well as improved end-of-life care, increased trust in providers and improved quality of life, and can facilitate hope. It has also been associated with increased knowledge about treatment options, documentation of advance care planning, patient-surrogate congruence, goal concordant care and compliance with patient wishes, among others (McMahan, Tellez, & Sudore, 2021); (Rosenberg, Popp, Dizon, El-Jawahri, & Spence, 2020); (Martin, 2016); (Bischoff, Sudore, Miao, Boscardin, & Smith, 2013).

CLINICAL RECOMMENDATION STATEMENTS:

Advance directives are designed to respect patient's autonomy and determine his/her wishes about future life-sustaining medical treatment if unable to indicate wishes. Key interventions and treatment decisions to include in advance directives are: resuscitation procedures, mechanical respiration, chemotherapy, radiation therapy, dialysis, simple diagnostic tests, pain control, blood products, transfusions, and intentional deep sedation.

Oral statements:

Conversations with relatives, friends, and clinicians are most common form; should be thoroughly documented in medical record for later reference.

Properly verified oral statements carry same ethical and legal weight as those recorded in writing.

Instructional advance directives (DNR orders, living wills):

Written instructions regarding the initiation, continuation, withholding, or withdrawal of particular forms of life-sustaining medical treatment.

May be revoked or altered at any time by the patient.

Clinicians who comply with such directives are provided legal immunity for such actions.

Durable power of attorney for health care or health care proxy:

A written document that enables a capable person to appoint someone else to make future medical treatment choices for him or her in the event of decisional incapacity. (AGS)

The National Hospice and Palliative Care Organization provides the Caring Connection web site, which provides resources and information on end-of-life care, including a national repository of state-by-state advance directives.

REFERENCES:

Advance Care Plan Decisions. (2019) Why Advance Care Planning is a Crucial Part of Population Health Strategy. Retrieved July 23, 2020, from <https://acpdecisions.org/why-advance-care-planning-is-a-crucial-part-of-population-health-strategy/>

Bires, J. L., Franklin, E. F., Nichols, H. M., & Cagle, J. G. (2018). Advance Care Planning Communication: Oncology Patients and Providers Voice their Perspectives. *Journal of Cancer Education*, 33(5), 1140–1147. Retrieved from <https://doi.org/10.1007/s13187-017-1225-4>

Bischoff, K., Sudore, R., Miao, Y., Boscardin, W., & Smith, A. (2013). Advance Care Planning and the Quality of End-of-Life Care in Older Adults. *Journal of the American Geriatrics Society*, 61(2), 209–14. Retrieved from <https://doi.org/10.1111/jgs.12105>

Centers for Medicare & Medicaid Services (CMS). (2019). *Advance Care Planning*. Baltimore: Medicare Learning Network. Retrieved July 22, 2020, from <https://www.cms.gov/Outreach-and-Education/Medicare-Learning-Network-MLN/MLNProducts/Downloads/AdvanceCarePlanning.pdf>

Lendon, J.P., Caffrey, C. & Lau, D. (2018). Advance directive documentation among adult day services centers and use among participants, by region and center characteristics : National Study of Long-Term Care Providers, 2016. National Health Statistics Reports, 117. <https://stacks.cdc.gov/view/cdc/58975>

Martin, R. B. (2016). The Effects of Advance Care Planning Interventions on Nursing Home Residents: A Systematic Review. *Journal of the American Medical Directors Association*, 17(4), 284–93. Retrieved from <https://doi.org/10.1016/j.jamda.2015.12.017>

McMahan, R. D., Tellez, I., & Sudore, R. L. (2021). Deconstructing the Complexities of Advance Care Planning Outcomes: What Do We Know and Where Do We Go? A Scoping Review. *Journal of the American Geriatrics Society*,

69(1), 234–244. Retrieved from <https://doi.org/10.1111/jgs.16801>

Rosenberg, A., Popp, B., Dizon, D., El-Jawahri, A., & Spence, R. (2020). Now, More Than Ever, Is the Time for Early and Frequent Advance Care Planning. *Journal of Clinical Oncology*. Retrieved from <https://doi.org/10.1200/JCO.20.01080>

Silveira, M., Arnold, R., & Givens, J. (2020). *Advance Care Planning and Advance Directives*. UpToDate. Wolters Kluwer. Retrieved July 22, 2020, from <https://www.uptodate.com/contents/advance-care-planning-and-advance-directives>
Yadav, K., Gabler, N., Cooney, E., Kent, S., Kim, J., Herbst, N., . . . Courtright, K. (2017). Approximately One in Three US Adults Completes Any Type of Advance Directive for End-Of-Life Care. *Health Affairs*, 36(7), 1244–51. Retrieved from <https://doi.org/10.1377/hlthaff.2017.0175>

COPYRIGHT:

This Physician Performance Measure (Measure) and related data specifications were developed by the former PCPI® Foundation (PCPI®) and the National Committee for Quality Assurance (NCQA). Neither the American Medical Association (AMA) or NCQA shall be responsible for any use of the Measure. The Measure is not a clinical guideline and does not establish a standard of medical care and has not been tested for all potential applications.

THE MEASURE AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.

The AMA and NCQA make no representations, warranties, or endorsement about the quality of any organization or physician that uses or reports performance measures and NCQA has no liability to anyone who relies on such measures or specifications.

The Measure can be used, without modification, for internal noncommercial purposes (e.g., use by healthcare providers in connection with their practices) without obtaining approval from NCQA. All other uses, including a commercial use (such as the sale, licensing, or distribution of the Measure for commercial gain, or incorporation of the Measure into a product or service that is sold, licensed or distributed for commercial gain) and requests for modification must be approved by NCQA and are subject to a license at the discretion of NCQA.


©2012-2025 National Committee for Quality Assurance. All Rights Reserved.

Limited proprietary coding is contained in the Measure specifications for user convenience. Users of proprietary code sets should obtain all necessary licenses from the owners of the code sets. The AMA and NCQA disclaim all liability for use or accuracy of any third party codes contained in the specifications.

CPT® contained in the Measure specifications is copyright 2004-2025 American Medical Association. LOINC® copyright 2004-2025 Regenstrief Institute, Inc. This material contains SNOMED Clinical Terms® (SNOMED CT®) copyright 2004-2025 International Health Terminology Standards Development Organisation. ICD-10 copyright 2025 World Health Organization. All Rights Reserved.

2026 Medicare Part B Claims Flow for Quality ID #047 (CBE 0326): Advance Care Plan

Disclaimer: Refer to the measure specification for specific coding and instructions to submit this measure.



SAMPLE CALCULATIONS

Data Completeness=

$$\frac{\text{Performance Met (a¹+a²=40 patients)} + \text{Performance Not Met (c=30 patients)}}{\text{Eligible Population / Denominator (d=80 patients)}} = \frac{70 \text{ patients}}{80 \text{ patients}} = 87.50\%$$

Performance Rate=

$$\frac{\text{Performance Met (a¹+a²=40 patients)}}{\text{Data Completeness Numerator (70 patients)}} = \frac{40 \text{ patients}}{70 \text{ patients}} = 57.14\%$$

* See the posted measure specification for specific coding and instructions to submit this measure.

NOTE : Submission Frequency: Patient-Process

CPT only copyright 2025 American Medical Association. All rights reserved.
 The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification.
 v10

**2026 Medicare Part B Claims Flow Narrative for Quality ID #047 (CBE 0326):
Advance Care Plan**

Disclaimer: Refer to the measure specification for specific coding and instructions to submit this measure.

1. Start with Denominator
2. Check *Patients aged greater than or equal to 65 years on date of encounter*:
 - a. If *Patients aged greater than or equal to 65 years on date of encounter* equals No, do not include in *Eligible Population/Denominator*. Stop processing.
 - b. If *Patients aged greater than or equal to 65 years on date of encounter* equals Yes, proceed to *Patient encounter during the performance period as listed in Denominator**.
3. Check *Patient encounter during the performance period as listed in Denominator**:
 - a. If *Patient encounter during the performance period as listed in Denominator** equals No, do not include in *Eligible Population/Denominator*. Stop processing.
 - b. If *Patient encounter during the performance period as listed in Denominator** equals Yes, proceed to *Place of Service (POS) as listed in Denominator**.
4. Check *Place of Service (POS) as listed in Denominator**:
 - a. If *Place of Service (POS) as listed in Denominator** equals Yes, do not include in *Eligible Population/Denominator*. Stop processing.
 - b. If *Place of Service (POS) as listed in Denominator** equals No, Check *Hospice services received by patient any time during the measurement period*
5. Check *Hospice services received by patient any time during the measurement period*:
 - a. If *Hospice services received by patient any time during the measurement period* equals Yes, do not include in *Eligible Population/ Denominator*. Stop processing.
 - b. If *Hospice services received by patient any time during the measurement period* equals No, include in *Eligible Population/ Denominator*.
6. Denominator Population:
 - a. Denominator Population is all Eligible Patients in the Denominator. Denominator is represented as Denominator in the Sample Calculation listed at the end of this document. Letter d equals 80 patients in the Sample Calculation.
7. Start Numerator
8. Check *Advance Care Planning discussed and documented; advance care plan or surrogate decision maker documented in the medical record*:
 - a. If *Advance Care Planning discussed and documented; advance care plan or surrogate decision maker documented in the medical record* equals Yes, include in *Data Completeness Met and Performance Met*.
 - *Data Completeness Met and Performance Met* letter is represented as Data

Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter a¹ equals 30 patients in the Sample Calculation.

- b. If *Advance Care Planning discussed and documented; advance care plan or surrogate decision maker documented in the medical record* equals No, proceed to *Advance Care Planning discussed and documented in the medical record; patient did not wish or was not able to name a surrogate decision maker or provide an advance care plan*.
9. Check *Advance Care Planning discussed and documented in the medical record; patient did not wish or was not able to name a surrogate decision maker or provide an advance care plan*:
 - a. If *Advance Care Planning discussed and documented in the medical record; patient did not wish or was not able to name a surrogate decision maker or provide an advance care plan* equals Yes, include in *Data Completeness Met and Performance Met*.
 - *Data Completeness Met and Performance Met* letter is represented as Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter a² equals 10 patients in the Sample Calculation.
 - b. If *Advance Care Planning discussed and documented in the medical record; patient did not wish or was not able to name a surrogate decision maker or provide an advance care plan* equals No, proceed to *Advance Care Planning not documented, reason not otherwise specified*.
10. Check *Advance Care Planning not documented, reason not otherwise specified*:
 - a. If *Advance Care Planning not documented, reason not otherwise specified* equals Yes, include in *Data Completeness Met and Performance Not Met*.
 - *Data Completeness Met and Performance Not Met* letter is represented as Data Completeness in the Sample Calculation listed at the end of this document. Letter c equals 30 patients in the Sample Calculation.
 - b. If *Advance Care Planning not documented, reason not otherwise specified* equals No, proceed to *Data Completeness Not Met*.
11. Check *Data Completeness Not Met*:
 - a. If *Data Completeness Not Met*, the Quality Data Code was not submitted. 10 patients have been subtracted from the Data Completeness Numerator in the Sample Calculation.

Sample Calculations:

Data Completeness equals Performance Met (a¹ plus a² equals 40 patients) plus Performance Not Met (c equals 30 patients) divided by Eligible Population/Denominator (d equals 80 patients). All equals 70 patients divided by 80 patients. All equals 87.50 percent.

Performance Rate equals Performance Met (a¹ plus a² equals 40 patients) divided by Data Completeness Numerator (70 patients). All equals 40 patients divided by 70 patients. All equals 57.14 percent.

*See the posted measure specification for specific coding and instructions to submit this measure.

NOTE: Submission Frequency: Patient-Process

The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification.