Quality ID #177 (NQF 2523): Rheumatoid Arthritis (RA): Periodic Assessment of Disease Activity – National Quality Strategy Domain: Effective Clinical Care Measure – Meaningful Measure Area: Management of Chronic Conditions

2020 COLLECTION TYPE:
MIPS CLINICAL QUALITY MEASURES (CQMS)

MEASURE TYPE:
Process

DESCRIPTION:
Percentage of patients aged 18 years and older with a diagnosis of rheumatoid arthritis (RA) who have an assessment of disease activity using an ACR-preferred RA disease activity assessment tool at ≥50% of encounters for RA for each patient during the measurement year

INSTRUCTIONS:
This measure is to be submitted a minimum of **once per performance period** for patients with a diagnosis of RA seen during the performance period. This measure may be submitted by Merit-based Incentive Payment System (MIPS) eligible clinicians who perform the quality actions described in the measure based on the services provided and the measure-specific denominator coding.

Measure Submission Type:
Measure data may be submitted by individual MIPS eligible clinicians, groups, or third party intermediaries. The listed denominator criteria are used to identify the intended patient population. The numerator options included in this specification are used to submit the quality actions as allowed by the measure. The quality-data codes listed do not need to be submitted by MIPS eligible clinicians, groups, or third party intermediaries that utilize this modality for submissions; however, these codes may be submitted for those third party intermediaries that utilize Medicare Part B claims data. For more information regarding Application Programming Interface (API), please refer to the Quality Payment Program (QPP) website.

DENOMINATOR:
Patients aged 18 years and older with a diagnosis of RA

Denominator Criteria (Eligible Cases):
Patients aged ≥ 18 years on date of encounter
AND
Diagnosis for rheumatoid arthritis (RA) (ICD-10-CM): M05.00, M05.011, M05.012, M05.019, M05.021, M05.022, M05.029, M05.031, M05.032, M05.039, M05.041, M05.042, M05.049, M05.051, M05.052, M05.059, M05.061, M05.062, M05.069, M05.071, M05.072, M05.079, M05.09, M05.10, M05.111, M05.112, M05.119, M05.121, M05.122, M05.129, M05.131, M05.132, M05.139, M05.141, M05.142, M05.149, M05.151, M05.152, M05.159, M05.161, M05.162, M05.169, M05.171, M05.172, M05.179, M05.19, M05.20, M05.211, M05.212, M05.219, M05.221, M05.222, M05.229, M05.231, M05.232, M05.239, M05.241, M05.242, M05.249, M05.251, M05.252, M05.259, M05.261, M05.262, M05.269, M05.271, M05.272, M05.279, M05.29, M05.30, M05.311, M05.312, M05.319, M05.321, M05.322, M05.329, M05.331, M05.332, M05.339, M05.341, M05.342, M05.349, M05.351, M05.352, M05.359, M05.361, M05.362, M05.369, M05.371, M05.372, M05.379, M05.39, M05.40, M05.411, M05.412, M05.419, M05.421, M05.422, M05.429, M05.431, M05.432, M05.439, M05.441, M05.442, M05.449, M05.451, M05.452, M05.459, M05.461, M05.462, M05.469, M05.471, M05.472, M05.479, M05.49, M05.50, M05.511, M05.512, M05.519, M05.521, M05.522, M05.529, M05.531, M05.532, M05.539, M05.541, M05.542, M05.549, M05.551, M05.552, M05.559, M05.561, M05.562, M05.569, M05.571, M05.572, M05.579, M05.59, M05.60, M05.611, M05.612, M05.619, M05.621, M05.622, M05.629, M05.631, M05.632, M05.639, M05.641, M05.642, M05.649, M05.651, M05.652, M05.659, M05.661, M05.662, M05.669, M05.671, M05.672, M05.679, M05.69, M05.70,

CPT only copyright 2019 American Medical Association. All rights reserved.

M05.711, M05.712, M05.719, M05.721, M05.722, M05.729, M05.731, M05.732, M05.739, M05.741, M05.742, M05.749, M05.751, M05.752, M05.759, M05.761, M05.762, M05.769, M05.771, M05.772, M05.779, M05.79, M05.80, M05.811, M05.812, M05.819, M05.821, M05.822, M05.829, M05.831, M05.832, M05.839, M05.841, M05.842, M05.849, M05.851, M05.852, M05.859, M05.861, M05.862, M05.869, M05.871, M05.872, M05.879, M05.89, M05.9, M06.00, M06.011, M06.012, M06.019, M06.021, M06.022, M06.029, M06.031, M06.032, M06.039, M06.041, M06.042, M06.049, M06.051, M06.052, M06.059, M06.061, M06.062, M06.069, M06.071, M06.072, M06.079, M06.08, M06.09, M06.20, M06.211, M06.212, M06.219, M06.221, M06.222, M06.229, M06.231, M06.232, M06.239, M06.241, M06.242, M06.249, M06.251, M06.252, M06.259, M06.261, M06.262, M06.269, M06.271, M06.272, M06.279, M06.28, M06.29, M06.30, M06.311, M06.312, M06.319, M06.321, M06.322, M06.329, M06.331, M06.332, M06.339, M06.341, M06.342, M06.349, M06.351, M06.352, M06.359, M06.361, M06.362, M06.369, M06.371, M06.372, M06.379, M06.38, M06.39, M06.80, M06.811, M06.812, M06.819, M06.821, M06.822, M06.829, M06.831, M06.832, M06.839, M06.841, M06.842, M06.849, M06.851, M06.852, M06.859, M06.861, M06.862, M06.869, M06.871, M06.872, M06.879, M06.88, M06.89, M06.9

AND

Patient encounter during the performance period (CPT or HCPCS): 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, G0402

WITHOUT

Telehealth Modifier: GQ, GT, 95, POS 02

NUMERATOR:

Patients with disease activity assessed by an ACR-preferred rheumatoid arthritis disease activity measurement tool ≥50% of total number of outpatient RA encounters in the measurement year

Definition:

Assessment of Disease Activity – Assesses if physicians are utilizing a standardized, systematic approach for evaluating the level of disease activity for each patient at least for ≥50% of total number of outpatient RA encounters. The scales/instruments listed are the ACR-preferred tools that should be used:

-Clinical Disease Activity Index (CDAI)
-Disease Activity Score with 28-joint counts (erythrocyte sedimentation rate or C-reactive protein) (DAS-28)
-Patient Activity Score-II (PAS-II)
-Routine Assessment of Patient Index Data with 3 measures (RAPID 3)
-Simplified Disease Activity Index (SDAI)

A result within the range of the selected tool qualifies for meeting numerator performance as long as a result is captured at ≥50% of each patient's qualified encounters.

Numerator Options:

Performance Met:	≥50% of total number of a patient's outpatient RA encounters assessed **(M1007)**
OR	
Performance Not Met:	Disease activity not assessed, reason not given **(M1006)**
OR	
Performance Not Met:	<50% of total number of a patient's outpatient RA encounters assessed **(M1008)**

RATIONALE:

After establishing a diagnosis of RA, risk assessment is crucial for guiding optimal treatment. For the purposes of selecting therapies, physicians should consider the patient's disease activity at the time of the treatment decisions.

CPT only copyright 2019 American Medical Association. All rights reserved.

CLINICAL RECOMMENDATION STATEMENTS:

The ACR guidelines for treating both early and established RA patients strongly recommend using a treat-to-target strategy, with the ideal target as low disease activity or remission, as determined by the clinician and the patient. In order to accomplish this, a key principle of the guideline states that disease activity measurement using an ACR-recommended measure should be performed in a majority of encounters for RA patients. (cite: Singh, J.A., Saag, K. G., Bridges, S. L., Akl. E. A., Bannuru, R. R., Sullivan, M. C., et al. (2016), 2015 American College of Rheumatology Guideline for the Treatment of Rheumatoid Arthritis. Arthritis Care & Research, 68: 1 -25. doi:10.1002/acr.22783) This is based on evidence showing that regular disease activity assessment facilitates achieving low disease activity states. (cite: Grigor C, Capell H, Stirling A, McMahon AD, Lock P, Vallance R, et al. Effect of a treatment strategy of tight control for rheumatoid arthritis (the TICORA study): a single blind randomised controlled trial. Lancet 2004;364:263 -9.) The ACR also conducted an extensive multi-year project, involving systematic literature reviews, expert consensus ratings, and national surveys to reach consensus on which RA disease activity measures are valid, reliable, and responsive, and feasible to implement in routine clinical practice, resulting in five ACR-preferred disease activity tools. (cite: publication pending).

COPYRIGHT:

The Measures are not clinical guidelines, do not establish a standard of medical care, and have not been tested for all potential applications.

The Measures, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes, eg, use by health care providers in connection with their practices. Commercial use is defined as the sale, license, or distribution of the Measures for commercial gain, or incorporation of the Measures into a product or service that is sold, licensed or distributed for commercial gain.

Commercial uses of the Measures require a license agreement between the user and the American Medical Association (AMA), [on behalf of the Physician Consortium for Performance Improvement® (PCPI®)] or American College of Rheumatology (ACR). Neither the AMA, ACR, PCPI, nor its members shall be responsible for any use of the Measures.

The AMA's, PCPI's and National Committee for Quality Assurance's significant past efforts and contributions to the development and updating of the Measures is acknowledged. ACR is solely responsible for the review and enhancement ("Maintenance") of the Measures as of July 25, 2014.

ACR encourages use of the Measures by other health care professionals, where appropriate.

THE MEASURES AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.

© 2014-2019 American Medical Association and American College of Rheumatology. All Rights Reserved. Applicable FARS/DFARS Restrictions Apply to Government Use.

Limited proprietary coding is contained in the Measure specifications for convenience. Users of the proprietary code sets should obtain all necessary licenses from the owners of these code sets. The AMA, ACR, the PCPI and its members disclaim all liability for use or accuracy of any Current Procedural Terminology (CPT®) or other coding contained in the specifications.

CPT® contained in the Measure specifications is copyright 2004-2019 American Medical Association. LOINC® copyright 2004-2019 Regenstrief Institute, Inc. SNOMED CLINICAL TERMS (SNOMED CT®) copyright 2004-2019 College of American Pathologists. ICD-10 is copyright 2019 World Health Organization. All Rights Reserved.

CPT only copyright 2019 American Medical Association. All rights reserved.

2020 Clinical Quality Measure Flow for Quality ID #177 NQF #2523: Rheumatoid Arthritis (RA): Periodic Assessment of Disease Activity

Disclaimer: *Refer to the measure specification for specific coding and instructions to submit this measure.*



CPT only copyright 2019 American Medical Association. All rights reserved.

SAMPLE CALCULATIONS:

Data Completeness=

Performance Met (a=60 patients) + Performance Not Met (c^1+c^2=20 patients) = 80 patients = **88.89%**

Eligible Population / Denominator (d=90 patients) = 90 patients

Performance Rate=

Performance Met (a=60 patients) = 60 patients = **75.00%**

Data Completeness Numerator (80 patients) = 80 patients

*See the posted measure specification for specific coding and instructions to submit this measure.

NOTE: Submission Frequency: Patient-Process

CPT only copyright 2019 American Medical Association. All rights reserved.
The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification.

v4

CPT only copyright 2019 American Medical Association. All rights reserved.

2020 Clinical Quality Measure Flow Narrative for Quality ID #177 NQF #2523: Rheumatoid Arthritis (RA): Periodic Assessment of Disease Activity

Disclaimer: *Refer to the measure specification for specific coding and instructions to submit this measure.*

1. Start with Denominator
2. Check Patient Age:
   a. If Patient Age is greater than or equal to 18 Years on Date of Encounter and equals No during the measurement period, do not include in Eligible Population. Stop Processing.
   b. If Patient Age is greater than or equal to 18 Years on Date of Encounter and equals Yes during the measurement period, proceed to check Patient Diagnosis.
3. Check Patient Diagnosis:
   a. If Diagnosis of Rheumatoid Arthritis as Listed in the Denominator equals No, do not include in Eligible Population. Stop Processing.
   b. If Diagnosis of Rheumatoid Arthritis as Listed in the Denominator equals Yes, proceed to check Encounter Performed.
4. Check Encounter Performed:
   a. If Encounter as Listed in the Denominator equals No, do not include in Eligible Population. Stop Processing.
   b. If Encounter as Listed in the Denominator equals Yes, proceed to check Telehealth Modifier.
5. Check Telehealth Modifier:
   a. If Telehealth Modifier equals Yes, do not include in Eligible Population. Stop Processing.
   b. If Telehealth Modifier equals No, include in Eligible Population.
6. Denominator Population:
   a. Denominator Population is all Eligible Patients in the Denominator. Denominator is represented as Denominator in the Sample Calculation listed at the end of this document. Letter d equals 90 patients in the Sample Calculation.
7. Start Numerator
8. Check Greater Than or Equal to 50% of Total Number of a Patient's Outpatient RA Encounters Assessed:
   a. If Greater Than or Equal to 50% of Total Number of a Patient's Outpatient RA Encounters Assessed equals Yes, include in Data Completeness Met and Performance Met.
   b. Data Completeness Met and Performance Met letter is represented in the Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter a equals 60 patients in the Sample Calculation.

CPT only copyright 2019 American Medical Association. All rights reserved.

c. If Greater Than or Equal to 50% of Total Number of a Patient's Outpatient RA Encounters Assessed equals No, proceed to check Disease Activity Not Assessed, Reason Not Given.

9. Check Disease Activity Not Assessed, Reason Not Given:

a. If Disease Activity Not Assessed, Reason Not Given equals Yes, include in Data Completeness Met and Performance Not Met.

b. Data Completeness Met and Performance Not Met letter is represented in the Data Completeness in the Sample Calculation listed at the end of this document. Letter c^1 equals 10 patients in the Sample Calculation

c. If Disease Activity Not Assessed, Reason Not Given equals No, proceed to check Less Than 50% of Total Number of a Patient's Outpatient RA Encounters Assessed.

10. Check Less Than 50% of Total Number of a Patient's Outpatient RA Encounters Assessed:

a. If Less Than 50% of Total Number of a Patient's Outpatient RA Encounters Assessed equals Yes, include in Data Completeness Met and Performance Not Met.

b. Data Completeness Met and Performance Not Met letter is represented in the Data Completeness in the Sample Calculation listed at the end of this document. Letter c^2 equals 10 patients in the Sample Calculation.

c. If Less Than 50% of Total Number of a Patient's Outpatient RA Encounters Assessed equals No, proceed to check Data Completeness Not Met.

11. Check Data Completeness Not Met:

a. If Data Completeness Not Met, the Quality Data Code or equivalent was not submitted. 10 patients have been subtracted from the Data Completeness Numerator in Sample Calculation.

SAMPLE CALCULATIONS:

Data Completeness=

$$\frac{\text{Performance Met (a=60 patients)} + \text{Performance Not Met } (c^1+c^2=20 \text{ patients})}{\text{Eligible Population / Denominator (d=90 patients)}} = \frac{80 \text{ patients}}{90 \text{ patients}} = 88.89\%$$

Performance Rate=

$$\frac{\text{Performance Met (a=60 patients)}}{\text{Data Completeness Numerator (80 patients)}} = \frac{60 \text{ patients}}{80 \text{ patients}} = 75.00\%$$

CPT only copyright 2019 American Medical Association. All rights reserved.