

Measure #225 (NQF 0509): Radiology: Reminder System for Screening Mammograms – National Quality Strategy Domain: Communication and Care Coordination

2017 OPTIONS FOR INDIVIDUAL MEASURES:
REGISTRY ONLY

MEASURE TYPE:
Structure

DESCRIPTION:
Percentage of patients undergoing a screening mammogram whose information is entered into a reminder system with a target due date for the next mammogram

INSTRUCTIONS:
This measure is to be reported **each time** a screening mammogram is performed during the performance period for patients seen during the performance period. This measure is intended to reflect the quality of services provided for reminding patients when follow-up mammograms are due.

Measure Reporting:
The listed denominator criteria is used to identify the intended patient population. The numerator options included in this specification are used to submit the quality actions allowed by the measure. The quality-data codes listed do not need to be submitted for registry-based submissions; however, these codes may be submitted for those registries that utilize claims data.

DENOMINATOR:
All patients undergoing a screening mammogram

***DENOMINATOR NOTE:** *Signifies that this CPT Category I code is a non-covered service under the Medicare Part B Physician Fee Schedule (PFS). These non-covered services should be counted in the denominator population for registry-based measures.*

Denominator Criteria (Eligible Cases):
All patients, regardless of age
AND
Diagnosis for mammogram screening (ICD-10-CM): Z12.31
AND
Patient procedure during the performance period (CPT or HCPCS): 77067*, G0202

NUMERATOR:
Patients whose information is entered into a reminder system with a target due date for the next mammogram

Numerator Instructions: The reminder system should be linked to a process for notifying patients when their next mammogram is due and should include the following elements at a minimum: patient identifier, patient contact information, dates(s) of prior screening mammogram(s) (if known), and the target due date for the next mammogram.

Numerator Options:
Performance Met: Patient information entered into a reminder system with a target due date for the next mammogram (**7025F**)

OR

Denominator Exception:

Documentation of medical reason(s) for not entering patient information into a reminder system (eg, further screening mammograms are not indicated, such as patients with a limited life expectancy, other medical reason(s)) **(7025F with 1P)**

OR

Performance Not Met:

Patient Information not entered into a reminder system, reason not otherwise specified **(7025F with 8P)**

RATIONALE:

Although screening mammograms can reduce breast cancer mortality by 20-35% in women aged 40 years and older, recent evidence shows that only 72% of women are receiving mammograms based on current guideline recommendations. The use of patient reminders is associated with an increase in screening mammography.

Encouraging the implementation of a reminder system could lead to an increase in mammography screening at appropriate intervals.

CLINICAL RECOMMENDATION STATEMENTS:

The Community Preventive Services Task Force recommends the use of client reminders to increase screening for breast and cervical cancers on the basis of strong evidence of effectiveness (CPSTF, 2010)

COPYRIGHT:

The Measures are not clinical guidelines, do not establish a standard of medical care, and have not been tested for all potential applications.

The Measures, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes, eg, use by health care providers in connection with their practices. Commercial use is defined as the sale, license, or distribution of the Measures for commercial gain, or incorporation of the Measures into a product or service that is sold, licensed or distributed for commercial gain.

Commercial uses of the Measures require a license agreement between the user and the American Medical Association (AMA), [on behalf of the Physician Consortium for Performance Improvement® (PCPI®)] or American College of Radiology (ACR). Neither the AMA, ACR, PCPI, nor its members shall be responsible for any use of the Measures.

The AMA's, PCPI's and National Committee for Quality Assurance's significant past efforts and contributions to the development and updating of the Measures is acknowledged. ACR is solely responsible for the review and enhancement ("Maintenance") of the Measures as of December 31, 2015.

ACR encourages use of the Measures by other health care professionals, where appropriate.


THE MEASURES AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.

© 2015 American Medical Association and American College of Radiology. All Rights Reserved. Applicable FARS/DFARS Restrictions Apply to Government Use.

Limited proprietary coding is contained in the Measure specifications for convenience. Users of the proprietary code sets should obtain all necessary licenses from the owners of these code sets. The AMA, ACR, the PCPI and its members disclaim all liability for use or accuracy of any Current Procedural Terminology (CPT®) or other coding contained in the specifications.

CPT® contained in the Measures specifications is copyright 2004-2016 American Medical Association. LOINC® copyright 2004-2016 Regenstrief Institute, Inc. SNOMED CLINICAL TERMS (SNOMED CT®) copyright 2004-2016 College of American Pathologists. All Rights Reserved.

2017 Registry Individual Measure Flow
#225 NQF # 0509: Radiology: Reminder System for Screening Mammograms



SAMPLE CALCULATIONS:

Data Completeness=

$$\frac{\text{Performance Met (a=4 procedures)} + \text{Denominator Exception (b}^1\text{=1 procedure)} + \text{Performance Not Met (c=2 procedures)}}{\text{Eligible Population / Denominator (d=8 procedures)}} = \frac{7 \text{ procedures}}{8 \text{ procedures}} = 87.50\%$$

Performance Rate=

$$\frac{\text{Performance Met (a=4 procedures)}}{\text{Data Completeness Numerator (7 procedures) - Denominator Exception (b}^1\text{=1 procedure)}} = \frac{4 \text{ procedures}}{6 \text{ procedures}} = 66.67\%$$

*See the posted Measure Specification for specific coding and instructions to report this measure.

NOTE: Reporting Frequency: Procedure

CPT only copyright 2016 American Medical Association. All rights reserved. The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification.

v1

2017 Registry Individual Measure Flow
#225 NQF #0509: Radiology: Reminder System for Screening Mammograms

Please refer to the specific section of the Measure Specification to identify the denominator and numerator information for use in reporting this Individual Measure.

1. Start with Denominator
2. Check Patient Age:
 - a. If the All patients, Regardless of Age equals No during the measurement period, do not include in Eligible Patient Population. Stop Processing.
 - b. If the All patient, Regardless of Age equals Yes during the measurement period, proceed to check Patient Diagnosis.
3. Check Patient Diagnosis:
 - a. If Diagnosis for Mammogram Screening as Listed in the Denominator equals No, do not include in Eligible Patient Population. Stop Processing.
 - b. If Diagnosis for Mammogram Screening as Listed in the Denominator equals Yes, proceed to check Encounter Performed.
4. Check Procedure Performed:
 - a. If Procedure as Listed in the Denominator equals No, do not include in Eligible Patient Population. Stop Processing.
 - b. If Procedure as Listed in the Denominator equals Yes, include in the Eligible population.
5. Denominator Population:
 - a. Denominator population is all Eligible Patients in the denominator. Denominator is represented as Denominator in the Sample Calculation listed at the end of this document. Letter d equals 8 procedures in the sample calculation.
6. Start Numerator
7. Check Patient Information Entered into a Reminder System with Target Due Date for the Next Mammogram:
 - a. If Patient Information Entered into a Reminder System with Target Due Date for the Next Mammogram equals Yes, include in Data Completeness Met and Performance Met.
 - b. Data Completeness Met and Performance Met letter is represented in the Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter a equals 4 procedures in Sample Calculation.
 - c. If Patient Information Entered into a Reminder System with Target Due Date for the Next Mammogram equals No, proceed to Documentation of Medical Reason(s) for Not Entering Patient Information into a Reminder System.

8. Check Documentation of Medical Reason(s) for Not Entering Patient Information into a Reminder System:
 - a. If Documentation of Medical Reason(s) for Not Entering Patient Information into a Reminder System equals Yes, include in Data Completeness Met and Denominator Exception.
 - b. Data Completeness Met and Denominator Exception letter is represented in the Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter b equals 1 procedures in Sample Calculation.
 - c. If Documentation of Medical Reason(s) for Not Entering Patient Information into a Reminder System equals No, proceed to Patient Information Not Entered into a Reminder System ,Reason Not Specified.
9. Check Patient Information Not Entered into a Reminder System ,Reason Not Specified:
 - a. If Patient Information Not Entered into a Reminder System, Reason Not Specified equals Yes, include in Data Completeness Met and Performance Not Met.
 - b. Data Completeness Met and Performance Not Met letter is represented in the Data Completeness in the Sample Calculation listed at the end of this document. Letter c equals 2 procedures in the Sample Calculation.
 - c. If Patient Information Not Entered into a Reminder System, Reason Not Specified equals No, proceed to Data Completeness Not Met.
10. Check Data Completeness Not Met
 - a. If Data Completeness Not Met equals No, Quality Data Code or equivalent not reported. 1 procedure has been subtracted from the data completeness numerator in the sample calculation.

SAMPLE CALCULATIONS:

Data Completeness=

$$\frac{\text{Performance Met (a=4 procedures)} + \text{Denominator Exception (b}^1\text{=1 procedure)} + \text{Performance Not Met (c=2 procedures)}}{\text{Eligible Population / Denominator (d=8 procedures)}} = \frac{7 \text{ procedures}}{8 \text{ procedures}} = 87.50\%$$

Performance Rate=

$$\frac{\text{Performance Met (a=4 procedures)}}{\text{Data Completeness Numerator (7 procedures) - Denominator Exception (b}^1\text{=1 procedure)}} = \frac{4 \text{ procedures}}{6 \text{ procedures}} = 66.67\%$$