

Quality ID #109: Osteoarthritis (OA): Function and Pain Assessment – National Quality Strategy
Domain: Person and Caregiver-Centered Experience and Outcomes

2018 OPTIONS FOR INDIVIDUAL MEASURES:
REGISTRY ONLY

MEASURE TYPE:
Process

DESCRIPTION:
Percentage of patient visits for patients aged 21 years and older with a diagnosis of osteoarthritis (OA) with assessment for function and pain

INSTRUCTIONS:
This measure is to be submitted **one time** during the performance period for patients with osteoarthritis seen during the performance period. The assessment can be completed either during a denominator eligible encounter or via electronic/mobile system. This measure may be submitted by eligible clinicians who perform the quality actions described in the measure based on the services provided and the measure-specific denominator coding.

Measure Submission:
The listed denominator criteria is used to identify the intended patient population. The numerator options included in this specification are used to submit the quality actions allowed by the measure. The quality-data codes listed do not need to be submitted for registry submissions; however, these codes may be submitted for those registries that utilize claims data.

DENOMINATOR:
All patient visits for patients aged 21 years and older with a diagnosis of OA

Denominator Criteria (Eligible Cases):

Patients aged \geq 21 years on date of encounter

AND

Diagnosis for osteoarthritis (OA) (ICD-10-CM): M15.0, M15.1, M15.2, M15.3, M15.4, M15.8, M15.9, M16.0, M16.10, M16.11, M16.12, M16.2, M16.30, M16.31, M16.32, M16.4, M16.50, M16.51, M16.52, M16.6, M16.7, M16.9, M17.0, M17.10, M17.11, M17.12, M17.2, M17.30, M17.31, M17.32, M17.4, M17.5, M17.9, M18.0, M18.10, M18.11, M18.12, M18.2, M18.30, M18.31, M18.32, M18.4, M18.50, M18.51, M18.52, M18.9, M19.011, M19.012, M19.019, M19.021, M19.022, M19.029, M19.031, M19.032, M19.039, M19.041, M19.042, M19.049, M19.071, M19.072, M19.079, M19.111, M19.112, M19.119, M19.121, M19.122, M19.129, M19.131, M19.132, M19.139, M19.141, M19.142, M19.149, M19.171, M19.172, M19.179, M19.211, M19.212, M19.219, M19.221, M19.222, M19.229, M19.231, M19.232, M19.239, M19.241, M19.242, M19.249, M19.271, M19.272, M19.279, M19.90, M19.91, M19.92, M19.93

AND

Patient encounter during the performance period (CPT): 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215

NUMERATOR:

Patient visits with assessment for level of function and pain documented (may include the use of a standardized scale or the completion of an assessment questionnaire, such as an SF-36, AAOS Hip & Knee Questionnaire)

NUMERATOR NOTE: For the purposes of this measure, the method for assessing function and pain is left up to the discretion of the individual eligible clinician and based on the needs of the patient. The assessment may be done via a validated instrument (though one is not required) that measures pain and various functional elements including a patient's ability to perform activities of daily living (ADLs).

Acceptable assessments for **Pain Assessment** include the following:

- Visual Analog Scale (VAS)
- PROMIS
- Numeric Pain Rating System

Acceptable assessments for **Functional Assessment** include the following:

General Quality of Life

- Veterans RAND 12 (VR-12)
- PROMIS (PROMIS 10 or CAT)
- EuroQol-5D (EQ-5D)

Foot and Ankle

- Foot and Ankle Ability Measure (FAAM)
- Foot and Ankle Disability Index (FADI)

Knee (Anterior Cruciate Ligament)

- International Knee Documentation Committee (IKDC) Subjective Knee Form (Pedi-IKDC)
- Marx Activity Rating Scale

Knee (Osteoarthritis)

- Knee Injury and Osteoarthritis Outcome Score (KOOS)
- Knee Injury and Osteoarthritis Outcome Score Jr. (KOOS Jr.)

Hip (Osteoarthritis)

- Hip Disability and Osteoarthritis Outcomes Survey (HOOS)
- Hip Disability and Osteoarthritis Outcomes Survey Jr. (HOOS Jr.)

Shoulder

- American Shoulder and Elbow Surgeons Standardized Shoulder Assessment Form (ASES)
- Oxford Shoulder Score (OSS)
- Single Assessment Numeric Evaluation (SANE)

Shoulder (Instability)

- American Shoulder and Elbow Surgeons Standardized Shoulder Assessment Form (ASES)
- Western Ontario Shoulder Instability Index (WOSI)

Elbow

- Disabilities of the Arm, Shoulder, and Hand Score (DASH)
- Quick-DASH

Wrist

- Disabilities of the Arm, Shoulder, and Hand Score (DASH)
- Quick-DASH

Hand

- Disabilities of the Arm, Shoulder, and Hand Score (DASH)
- Quick-DASH

Numerator Options:

Performance Met:

Osteoarthritis symptoms and functional status assessed (may include the use of a standardized scale or the completion of an assessment questionnaire, such as the SF-36, AAOS Hip & Knee Questionnaire) (1006F)

OR

Performance Not Met:

Osteoarthritis symptoms and functional status not assessed, Reason not otherwise specified (1006F with 8P)

RATIONALE:

Osteoarthritis (OA) is the most common joint pathology in the United States and remains the leading cause of disability among the elderly population. The aging population and increasing prevalence of obesity is contributing to the witnessed rise in OA incidence. According to the National Health Interview Survey (NHIS) an estimated 52.5 million (22.7%) adults have been diagnosed with arthritis, of which 22.7 million (9.8%) have some degree of functional disability. As the prevalence and incidence of the disease continues to rise, the proper measurement of OA severity and its impact on health status becomes a crucial component in any orthopedic practice. The symptomatic manifestations of OA as a combination of pain and stiffness contribute substantially to functional disability, lowering the patient's quality of life. Aligning with a patient-centered healthcare delivery model, the quality and success of interventions aiming to treat OA should be assessed based on outcomes deemed imperative by the patients. Hence, measurement instruments applied in the clinical setting should include patient reported outcome measures (PROMs) pertaining to pain and function.

CLINICAL RECOMMENDATION STATEMENTS:

Performance measurement should assess both subjective and objective components of pain and physical function pertaining to each osteoarthritic joint. Overall, 100% of all high and moderate quality systematic reviews with sufficient evidence to make a recommendation supported the use of at least one PROM for pain, function, or the combination of the two. (AAOS Systematic Review on Measures for Pain and Function Assessments for Patients with Osteoarthritis 2015).

Any persistent pain that has an impact on physical function, psychosocial function, or other aspects of quality of life should be recognized as a significant problem. (AGS; IIA Recommendation)

COPYRIGHT:

The Measures are not clinical guidelines, do not establish a standard of medical care, and have not been tested for all potential applications.

The Measures, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes, e.g., use by health care providers in connection with their practices. Commercial use is defined as the sale, license, or distribution of the Measures for commercial gain, or incorporation of the Measures into a product or service that is sold, licensed or distributed for commercial gain.

Commercial uses of the Measures require a license agreement between the user and the American Medical Association (AMA), [on behalf of the Physician Consortium for Performance Improvement® (PCPI®)] or American Academy of Orthopaedic Surgeons (AAOS). Neither the AMA, AAOS, PCPI, nor its members shall be responsible for any use of the Measures.

The AMA's, PCPI's and National Committee for Quality Assurance's significant past efforts and contributions to the development and updating of the Measures is acknowledged. AAOS is solely responsible for the review and enhancement ("Maintenance") of the Measures as of August 11, 2014.

AAOS encourages use of the Measures by other health care professionals, where appropriate.


THE MEASURES AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.

© 2017 American Medical Association and American Academy of Orthopaedic Surgeons. All Rights Reserved.
Applicable FARS/DFARS Restrictions Apply to Government Use.

Limited proprietary coding is contained in the Measure specifications for convenience. Users of the proprietary code sets should obtain all necessary licenses from the owners of these code sets. The AMA, AAOS, the PCPI and its members disclaim all liability for use or accuracy of any Current Procedural Terminology (CPT®) or other coding contained in the specifications.

CPT® contained in the Measures specifications is copyright 2004-2017 American Medical Association. LOINC® copyright 2004-2017 Regenstrief Institute, Inc. SNOMED CLINICAL TERMS (SNOMED CT®) copyright 2004-2017 College of American Pathologists. All Rights Reserved.

2018 Registry Flow for Quality ID #109: Osteoarthritis (OA): Function and Pain Assessment



SAMPLE CALCULATIONS:

Data Completeness=

$$\frac{\text{Performance Met (a=40 visits) + Performance Not Met (c=30 visits)}}{\text{Eligible Population / Denominator (d=80 visits)}} = \frac{70 \text{ visits}}{80 \text{ visits}} = 87.50\%$$

Performance Rate=

$$\frac{\text{Performance Met (a=40 visits)}}{\text{Data Completeness Numerator (70 visits)}} = \frac{40 \text{ visits}}{70 \text{ visits}} = 57.14\%$$

*See the posted Measure Specification for specific coding and instructions to submit this measure.

NOTE: Submission Frequency: Visit

CPT only copyright 2017 American Medical Association. All rights reserved.
 The measure diagrams were developed by CMG as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification.

v2

**2018 Registry Flow for Quality ID
#109: Osteoarthritis (OA): Function and Pain Assessment**

Please refer to the specific section of the specification to identify the denominator and numerator information for use in submitting this Individual Specification. This flow is for registry data submission.

1. Start with Denominator
2. Check Patient Age:
 - a. If the Age is greater than or equal to 21 years of age on Date of Service and equals No during the measurement period, do not include in Eligible Patient Population. Stop Processing.
 - b. If the Age is greater than or equal to 21 years of age on Date of Service and equals Yes during the measurement period, proceed to check Patient Diagnosis.
3. Check Patient Diagnosis:
 - a. If Diagnosis of Osteoarthritis as Listed in Denominator equals No, do not include in Eligible Patient Population. Stop Processing.
 - b. If Diagnosis of Osteoarthritis as Listed in Denominator equals Yes, proceed to check Encounter Performed.
4. Check Encounter Performed:
 - a. If Encounter as Listed in the Denominator equals No, do not include in Eligible Patient Population. Stop Processing.
 - b. If Encounter as Listed in the Denominator equals Yes, include in the Eligible Population.
5. Denominator Population:
 - a. Denominator Population is all Eligible Patients in the Denominator. Denominator is represented as Denominator in the Sample Calculation listed at the end of this document. Letter d equals 80 visits in the Sample Calculation.
6. Start Numerator
7. Check Osteoarthritis Symptoms and Functional Status Assessed:
 - a. If Osteoarthritis Symptoms and Functional Status Assessed equals Yes, include in Data Completeness Met and Performance Met.
 - b. Data Completeness Met and Performance Met letter is represented in the Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter a equals 40 visits in the Sample Calculation.
 - c. If Osteoarthritis Symptoms and Functional Status Assessed equals No, proceed to Osteoarthritis Symptoms and Functional Status Not Assessed, Reason Not Specified.
8. Check Osteoarthritis Symptoms and Functional Status Not Assessed, Reason Not Specified:

- a. If Osteoarthritis Symptoms and Functional Status Not Assessed, Reason Not Specified equals Yes, include in Data Completeness Met and Performance Not Met.
 - b. Data Completeness Met and Performance Not Met letter is represented in the Data Completeness in the Sample Calculation listed at the end of this document. Letter c equals 30 visits in the Sample Calculation.
 - c. If Osteoarthritis Symptoms and Functional Status Not Assessed, Reason Not Specified equals No, proceed to Data Completeness Not Met
9. Check Data Completeness Not Met
- a. If Data Completeness Not Met equals No, Quality Data Code or equivalent not submitted. 10 visits have been subtracted from the Data Completeness Numerator in the Sample Calculation.

SAMPLE CALCULATIONS:

Data Completeness=

$$\frac{\text{Performance Met (a=40 visits)} + \text{Performance Not Met (c=30 visits)}}{\text{Eligible Population / Denominator (d=80 visits)}} = \frac{70 \text{ visits}}{80 \text{ visits}} = 87.50\%$$

Performance Rate=

$$\frac{\text{Performance Met (a=40 visits)}}{\text{Data Completeness Numerator (70 visits)}} = \frac{40 \text{ visits}}{70 \text{ visits}} = 57.14\%$$