

Quality ID #444 (NQF 1799): Medication Management for People with Asthma – National Quality Strategy Domain: Efficiency and Cost Reduction

2018 OPTIONS FOR INDIVIDUAL MEASURES:
REGISTRY ONLY

MEASURE TYPE:
Process

DESCRIPTION:

The percentage of patients 5-64 years of age during the measurement year who were identified as having persistent asthma and were dispensed appropriate medications that they remained on for at least 75% of their treatment period

INSTRUCTIONS:

This measure is to be submitted a minimum of **once per performance period** for patients with a diagnosis of persistent asthma seen during the performance period. This measure may be submitted by eligible clinicians who perform the quality actions described in the measure based on the services provided and the measure-specific denominator coding.

Measure Submission:

The listed denominator criteria is used to identify the intended patient population. The numerator options included in this specification are used to submit the quality actions allowed by the measure. The quality-data codes listed do not need to be submitted for registry submissions; however, these codes may be submitted for those registries that utilize claims data.

DENOMINATOR:

Patients 5-64 years of age with persistent asthma and a visit during the measurement period

***DENOMINATOR NOTE:** *Signifies that this CPT Category I code is a non-covered service under the Medicare Part B Physician Fee Schedule (PFS). These non-covered services should be counted in the denominator population for registry measures.*

Denominator Criteria (Eligible Cases):

Patients aged 5-64 years on date of encounter

AND

Diagnosis for persistent asthma (ICD-10-CM): J45.30, J45.31, J45.32, J45.40, J45.41, J45.42, J45.50, J45.51, J45.52

AND

Patient encounter during the performance period (CPT): 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, 99381*, 99382*, 99383*, 99384*, 99385*, 99386*, 99387*, 99391*, 99392*, 99393*, 99394*, 99395*, 99396*, 99397*

AND NOT

DENOMINATOR EXCLUSIONS:

Diagnosis of COPD, Emphysema, Obstructive Chronic Bronchitis, Chronic Respiratory Conditions Due to Fumes/Vapors, Cystic Fibrosis, or Acute Respiratory Failure any time during the patient's history through the end of the measurement year: E84.0, E84.11, E84.19, E84.8, E84.9, J43.0, J43.1, J43.2, J43.8, J43.9, J44.0, J44.1, J44.9, J68.4, J96.00, J96.01, J96.02, J96.20, J96.21, J96.22, J98.2, J98.3

OR

Any patients who had no asthma controller medications dispensed during the measurement year: G9808

OR

Patients who use hospice services any time during the measurement period: G9809

NUMERATOR:

The number of patients who achieved a proportion of days (PDC) of at least 75% for their asthma controller medications during the measurement year

Definition:

PDC- The proportion of days covered by at least one asthma controller medication prescription, divided by the number of days in the treatment period. The treatment period is the period of time beginning on the earliest prescription dispensing date for any asthma controller medication during the measurement year through the last day of the measurement year.

Table MMA-B: Asthma Controller Medications

Description	Prescriptions		
Antiasthmatic combinations	Dyphylline-guaifenesin	Guaifenesin-theophylline	
Antibody inhibitor	Omalizumab		
Inhaled steroid combinations	Budesonide-formoterol	Fluticasone-salmeterol	Mometasone-formoterol
Inhaled corticosteroids	Beclomethasone Budesonide	Ciclesonide Flunisolide	Fluticasone CFC free Mometasone
Leukotriene modifiers	Montelukast	Zafirlukast	Zileuton
Mast cell stabilizers	Cromolyn		
Methylxanthines	Aminophylline	Dyphylline	Theophylline

Numerator Options:

Performance Met:

Patient achieved a PDC of at least 75% for their asthma controller medication (**G9810**)

OR

Performance Not Met:

Patient did not achieve a PDC of at least 75% for their asthma controller medication (**G9811**)

RATIONALE:

This measure assesses adherence to long-term asthma controller medications in patients with persistent asthma. The improvement in quality envisioned by the use of this measure is increasing adherence to long-term asthma controller medications in patients with persistent asthma. Increasing adherence to asthma controller medications can prevent and control asthma symptoms, improve quality of life, reduce the frequency and severity of asthma exacerbations, and potentially prevent a significant proportion of asthma-related costs (hospitalizations, emergency room visits and missed work and school days) (Akinbami 2009; (National Heart, Lung, and Blood Institute [NHLBI]/National Asthma and Education Prevention Program [NAEPP] 2007).

CLINICAL RECOMMENDATION STATEMENTS:

Akinbami, L.J., J.E. Moorman, P.L. Garbe, E.J. Sondik. 2009. Status of Childhood Asthma in the United States, 1980–2007. *Pediatrics* 123:S131-45. doi: 10.1542/peds.2008-2233C.

National Heart Lung and Blood Institute/National Asthma Education and Prevention Program. 2007. Expert Panel Report 3: Guidelines for the Diagnosis and Management of Asthma. Washington (DC): National Heart Lung and Blood Institute (NHLBI), NIH Publication No. 07-4051. <http://www.nhlbi.nih.gov/guidelines/asthma/asthgdln.pdf> (November 19, 2015).

Stillman, L. 2010. Living with Asthma in New England: Results from the 2006 BRFSS and Call-back Survey. A report by the Asthma Regional Council of New England (February). http://www.hria.org/uploads/catalogerfiles/living-with-asthma-innew-england/HRIA_Living_with_Asthma_BRFSS_2010.pdf (November 19, 2015).

COPYRIGHT:

The measures and specifications were developed by and are owned by the National Committee for Quality Assurance ("NCQA"). NCQA holds a copyright in the measures and specifications and may rescind or alter these measures and specifications at any time. Users of the measures and specifications shall not have the right to alter, enhance or otherwise modify the measures and specifications, and shall not disassemble, recompile or reverse engineer the measures and specifications. Anyone desiring to use or reproduce the materials without modification for a non-commercial purpose may do so without obtaining any approval from NCQA. All commercial uses or requests for alteration of the measures and specifications must be approved by NCQA and are subject to a license at the discretion of NCQA.


The measures and specifications are not clinical guidelines, do not establish a standard of medical care and have not been tested for all potential applications. The measures and specifications are provided "as is" without warranty of any kind. NCQA makes no representations, warranties or endorsements about the quality of any product, test or protocol identified as numerator compliant or otherwise identified as meeting the requirements of a measure or specification. NCQA also makes no representations, warranties or endorsements about the quality of any organization or clinician who uses or reports performance measures. NCQA has no liability to anyone who relies on measures and specifications or data reflective of performance under such measures and specifications. ©2004-2017 National Committee for Quality Assurance, all rights reserved.

Performance measures developed by NCQA for CMS may look different from the measures solely created and owned by NCQA.

Limited proprietary coding is contained in the measure specifications for convenience. Users of the proprietary code sets should obtain all necessary licenses from the owners of these code sets. NCQA disclaims all liability for use or accuracy of any coding contained in the specifications.

The American Medical Association holds a copyright to the CPT® codes contained in the measures specifications.

2018 Registry Flow for Quality ID #444 NQF #1799: Medication Management for People with Asthma



*See the posted Measure Specification for specific coding and instructions to submit this measure.
 NOTE: Submission Frequency: Patient-process

CPT only copyright 2018 American Medical Association. All rights reserved.
 The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification.

v2

2018 Registry Flow for Quality ID #444 NQF #1799: Medication Management for People with Asthma

SAMPLE CALCULATIONS:

Data Completeness=

$$\frac{\text{Performance Met (a=50 patients)} + \text{Performance Not Met (c=20 patients)}}{\text{Eligible Population / Denominator (d=80 patients)}} = \frac{70 \text{ patients}}{80 \text{ patients}} = 87.50\%$$

Performance Rate=

$$\frac{\text{Performance Met (a=50 patients)}}{\text{Data Completeness Numerator (70 patients)}} = \frac{50 \text{ patients}}{70 \text{ patients}} = 71.43\%$$

NOTE : Submission Frequency: Patient-process

CPT only copyright 2017 American Medical Association. All rights reserved.

v2

**2018 Registry Flow For Quality ID
#444 NQF #1799: Medication Management for People with Asthma**

Please refer to the specific section of the specification to identify the denominator and numerator information for use in submitting this Individual Specification. This flow is for registry data submission.

1. Start with Denominator
2. Check Patient Age:
 - a. If Patient age is 5 thru 64 years equals No, do not include in Eligible Patient Population. Stop Processing.
 - b. If Patient age is 5 thru 64 years equals Yes, proceed to check Diagnosis.
3. Check Diagnosis:
 - a. If Diagnosis for Persistent Asthma as Listed in the Denominator equals No, do not include in Eligible Patient Population. Stop Processing.
 - b. If Diagnosis for Persistent Asthma as Listed in the Denominator equals Yes, proceed to check Encounter Performed.
4. Check Encounter Performed:
 - a. If Encounter Performed as Listed in the Denominator equals No, do not include in Eligible Patient Population. Stop Processing.
 - b. If Encounter Performed as Listed in the Denominator equals Yes, proceed to Check Diagnosis of COPD, Emphysema, Obstructive Chronic Bronchitis, Chronic Respiratory Conditions Due to Fumes/Vapors, Cystic Fibrosis, or Acute Respiratory Failure.
5. Check Diagnosis of COPD, Emphysema, Obstructive Chronic Bronchitis, Chronic Respiratory Conditions Due to Fumes/Vapors, Cystic Fibrosis, or Acute Respiratory Failure:
 - a. If Diagnosis of COPD, Emphysema, Obstructive Chronic Bronchitis, Chronic Respiratory Conditions Due to Fumes/Vapors, Cystic Fibrosis, or Acute Respiratory Failure equals No, proceed to check No Asthma Controller Medications Dispensed During the Measurement Year.
 - b. If Diagnosis of COPD, Emphysema, Obstructive Chronic Bronchitis, Chronic Respiratory Conditions Due to Fumes/Vapors, Cystic Fibrosis, or Acute Respiratory Failure equals Yes, do not include in Eligible Patient Population. Stop Processing.
6. Check No Asthma Controller Medications Dispensed During the Measurement Year:
 - a. If No Asthma Controller Medications Dispensed During the Measurement Year equals No, proceed to check Patients Who Use Hospice Services Any Time During the Measurement Period.
 - b. If No Asthma Controller Medications Dispensed During the Measurement Year equals Yes, do not include in Eligible Patient Population. Stop Processing.
7. Check Patients Who Use Hospice Services Any Time During the Measurement Period:
 - a. If Patients Who Use Hospice Services Any Time During the Measurement Period equals No, include in Eligible Population.

- b. If Patients Who Use Hospice Services Any Time During the Measurement Period equals Yes, do not include in Eligible Patient Population. Stop Processing.
8. Denominator Population:
 - a. Denominator Population is all Eligible Patients in the Denominator. Denominator is represented as Denominator in the Sample Calculation listed at the end of this document. Letter d equals 80 patients in the Sample Calculation.
9. Start Numerator
10. Check Patient Achieved a PDC of at Least 75% for Their Asthma Controller Medication:
 - a. If Patient Achieved a PDC of at Least 75% for Their Asthma Controller Medication equals Yes, include in Data Completeness Met and Performance Met.
 - b. Data Completeness Met and Performance Met letter is represented as Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter a equals 50 patients in the Sample Calculation.
 - c. If Patient Achieved a PDC of at Least 75% for Their Asthma Controller Medication equals No, proceed to Patient Did Not Achieve a PDC of at Least 75% for Their Asthma Controller Medication.
11. Check Patient Did Not Achieve a PDC of at Least 75% for Their Asthma Controller Medication:
 - a. If Patient Did Not Achieve a PDC of at Least 75% for Their Asthma Controller Medication equals Yes, include in Data Completeness Met and Performance Not Met.
 - b. Data Completeness Met and Performance Not Met letter is represented as Data Completeness in the Sample Calculation listed at the end of this document. Letter c equals 20 patients in the Sample Calculation.
 - c. If Patient Did Not Achieve a PDC of at Least 75% for Their Asthma Controller Medication equals No, proceed to Data Completeness Not Met.
12. Check Data Completeness Not Met:
 - a. If Data Completeness Not Met equals No, Quality Data Code or equivalent not submitted. 10 patients have been subtracted from the Data Completeness Numerator in the Sample Calculation.

SAMPLE CALCULATIONS:

Data Completeness=

$$\frac{\text{Performance Met (a=50 patients)} + \text{Performance Not Met (c=20 patients)}}{\text{Eligible Population / Denominator (d=80 patients)}} = \frac{70 \text{ patients}}{80 \text{ patients}} = 87.50\%$$

Performance Rate=

$$\frac{\text{Performance Met (a=50 patients)}}{\text{Data Completeness Numerator (70 patients)}} = \frac{50 \text{ patients}}{70 \text{ patients}} = 71.43\%$$